Cumulative Index 1983 and 1984

Volumes 1 and 2

Note: The volume year is in *italic* type.
Page numbers of symposium and article titles are in **boldface** type.

SYMPOSIA

1983

April PEDIATRIC EMERGENCIES
August ADULT RESPIRATORY EMERGENCIES
December RESUSCITATION

1984

February MEDICAL TOXICOLOGY
May MUSCULOSKELETAL PROBLEMS
August ENVIRONMENTAL EMERGENCIES
November MULTIPLE TRAUMA

Abdomen, injury to, in child, *1983*: April, 182–184
  paracentesis of, *1983*: April, 183
  pelvis and, examination of, in child, *1984*: Nov., 907–908
  trauma to, *1984*: Nov., **799–821**
Abdominal thrust, *1983*: Aug., 274–275
"Aborted-SIDS," *1983*: April, 34–36
Abscess, liver, amebic, *1984*: Aug., 619
  lung, primary, *1983*: Aug., 361–365
  retropharyngeal, *1983*: Aug., 69
Acclimatization, *1984*: Aug., 461–462
Acetabulum, fracture of, *1984*: May, 335
Acetaminophen, clinical usage of, *1984*: Feb., 105–106
  overdose with, *1984*: Feb., **103–119**
Acetone, inhalation of, intoxication due to, *1984*: Feb., 97
Achilles tendon, rupture of, *1984*: May, 363
Acid, ingestion of, *1984*: Feb., **77–86**
Acid-base balance, in hypothermia, *1983*: Dec., 621
Acidosis, bicarbonate for, formula for estimating amount of, *1984*: Aug., 550
  in hyperthermia, *1984*: Aug., 468
  in pediatric diarrheal dehydration, *1983*: April, 115–116
Acorns, ingestion of, *1984*: Feb., 143
Acquired immune deficiency syndrome (AIDS), *1983*: Aug., 358–359
Acrolein, inhalation of, *1984*: Aug., 655
Acromioclavicular joint, injury to, *1984*: May, 288
Activated charcoal, for poisoning, *1984*: Feb., 8–9, 22–24
  in child, *1983*: April, 191–192
  toxins adsorbed by, list of, *1984*: Feb., 23
Acute radiation syndrome, *1984*: Aug., 672–673, 675–676
Adolescents, suicide in, *1983*: April, **201–206**
  overdose in, *1984*: Feb., **175–184**
Adolescent suicide questionnaire, *1984*: Feb., 181

Adrenal insufficiency, acute, in infant, *1983*: April, 120
Adrenalin, in pediatric resuscitation, *1983*: April, 10
Adult respiratory distress syndrome. See *ARDS*.
Aerogastralgia, *1984*: Aug., 521
Afterload, cardiac, *1983*: Aug., 318–319
AIDS, *1983*: Aug., 358–359
Air bags, for automobiles, efficacy of, *1984*: Nov., 707
Air embolism, *1983*: Dec., 663
Airway, cervical spine and, control of, in traumatized patient, *1984*: May, 206
  control of, in child, *1984*: Nov., 901–902
  in multiple trauma, initial evaluation of, *1984*: Nov., 734–735
    management of, *1984*: Nov., 720
  obstruction of, by teeth, *1983*: Aug., 298
    in child, *1983*: Dec., 611
    in facial fractures, *1984*: Nov., 762
  placement of, in multiply traumatized patient, *1983*: Dec., 574–575
  smooth muscle of, nervous system influence on, *1983*: Aug., 280
  trauma to, *1983*: Aug., **295–312**
  upper, acute obstruction of, *1983*: Aug., **261–277**
    anatomy of, *1983*: Aug., 261–262
Airway resistance, *1983*: Aug., 227–228
Albumin, in resuscitation, controversy over, *1983*: Dec., 578
Albuterol, in acute bronchial asthma, *1983*: Aug., 285
Alcohol, abuse of, as cause of injury, *1984*: Nov., 704
  alcohol substitutes and, lethal levels of, *1984*: Feb., 52
  common prescription and nonprescription preparations containing, *1984*: Feb., 60
Alcohol toxidromes, 55
Alcoholic patient, as toxic emergency, *1984*: Feb., **47–61**
Allen test, *1984*: May, 299
Allergic reaction, to biologic dust inhalation, *1984*: Aug., 659
  to insect bites, *1984*: Aug., 584–585
Alpha adrenergic agents, in acute bronchial asthma, *1983*: Aug., 285–286
Altitude illness, *1984*: Aug., **503–512**
Alveolar air equation, *1983*: Aug., 232, 234–235
Alveolar edema, acute, *1983*: Aug., **313–343**
Amanita phalloides, poisoning by, *1984*: Aug., 559–560
Amatoxin, poisoning with, thioctic acid for, *1984*: Feb., 154–155
Amebiasis, *1984*: Aug., 605
  intestinal, *1984*: Aug., 617
  pulmonary, *1984*: Aug., 614
Amebic liver abscess, *1984*: Aug., 619
Aminophylline, for cardiogenic pulmonary edema, *1983*: Aug., 330
  in pediatric resuscitation, *1983*: April, 22–23
Amitriptyline overdose, *1984*: Feb., 69
Ammonia, inhalation of, *1984*: Aug., 653
  poisoning with, *1983*: April, 194–195
Amphetamine overdose, *1984*: Feb., 94–95
Amyl nitrite intoxication, *1984*: Feb., 98
Anaphylactoid purpura, in child, *1983*: April, 64
Anaphylaxis, *1983*: Aug., 272
Anemia, in child, *1983*: April, 71–73
Anesthesia, for tracheal intubation, *1983*: Aug., 242–243
  induction of, vomiting during, *1983*: Aug., 242
Anesthetics, local, abuse of, *1984*: Feb., 96
Angel dust intoxication, *1984*: Feb., 89–90
Angina, Ludwig, *1983*: Aug., 269
Angiography, in abdominal trauma, *1984*: Nov., 817
  in lower limb injury, *1984*: Nov., 867–868
  in vascular trauma, *1984*: Nov., 854
Animals, marine, hazardous, *1984*: Aug., **531–544**
Ankle, anatomy of, *1984*: May, 364–367
  dislocation of, reduction of, *1984*: Nov., 879
    subtalar, *1984*: May, 377
  examination of, in trauma, *1984*: Nov., 877
  foot and, injuries to, *1984*: May, **361–389**
    prehospital management of, *1984*: May, 216
    radiography of, *1984*: May, 362
  fracture of, *1984*: Aug., 638–639
Anoxia, as cause of cardiopulmonary arrest in child, *1983*: April, 3–4
  ischemic, organ tolerance of, *1983*: Dec., 479
    pathophysiology of cellular damage in, *1983*: Dec., 480–481
Antabuse, alcohol ingestion and, *1984*: Feb., 59–60
Anterior cruciate ligament, anatomy of, *1984*: May, 349–350
Anterior drawer test, *1984*: May, 354
Antibiotics, in abdominal trauma, *1984*: Nov., 818–819
  in caustic ingestion, controversy over, *1984*: Feb., 83
  in eye injury, *1984*: Nov., 888
  in maxillofacial trauma, *1984*: Nov., 768–769
  in open fracture or wound, *1984*: May, 224
Anticholinergic toxicity, effects of, *1984*: Feb., 70

Anticoagulants, retropharyngeal space hemorrhage induced by, *1983*: Aug., 271
Antidotes, anecdotal, *1984*: Feb., **145–158**
Antidysrhythmic agents, properties of, *1983*: Dec., 556
Antilirium, *1984*: Feb., 70
Antivenin, snakebite, *1984*: Aug., 576, 577
Aorta, anatomy of, *1983*: Aug., 419–420
  thoracic, injury to, *1984*: Nov., 788–789
    traumatic rupture of, *1983*: Aug., 425–428
Aortic arch, blunt injury of, *1983*: Aug., 428–429
Aortocoronary bypass grafting, for myocardial infarction, *1983*: Dec., 676– 677
Apgar score, *1983*: Dec., 603
Aplastic crisis, in sickle cell disease, *1983*: April, 75
Apnea, gastroesophageal reflux–induced, in infant, *1983*: April, 38
  laryngeal or pharyngeal induced, in infant, *1983*: April, 38
  prolonged infantile, *1983*: April, 34–36
  seizure-associated, in infant, *1983*: April, 39
Apomorphine, induction of emesis by, *1984*: Feb., 17–18
Apricot kernels, cyanide intoxication caused by, *1984*: Feb., 136
ARDS, *1983*: Aug., 321–324
  administration of fluid in, *1983*: Aug., 337–338
  complicating chest trauma, *1983*: Aug., 387
Arm. See *Upper extremity*.
Arrhythmias, in hyperthermia, *1984*: Aug., 468
Arsine, inhalation of, *1984*: 658
Artery. See *Vasculature;* see also particular artery.
Arthritis, chronic, *1984*: May, 426
  monoarticular, acute nontraumatic, idiopathic, *1984*: May, 430
    septic, *1984*: May, 431–432
    acute traumatic, *1984*: May, 429–430
  polyarticular, acute, *1984*: May, 426–427
  septic, drug therapy for, *1984*: May, 428
Arthrocentesis, *1984*: May, 437–439
Arthropods, envenomation by, *1984*: Aug., **579–586**
Arthropod-borne virus, *1984*: Aug., 602–603
  in U.S., *1984*: Aug., 627–628
Asphyxia, perinatal, course of, *1983*: Dec., 601–602
Aspiration, of stomach contents, prevention of, *1983*: Aug., 242
  pulmonary, in maxillofacial trauma, *1984*: Nov., 764
Aspirin. See also *Salicylate*.
  association of with Reye's syndrome, *1983*: April, 89, 91
Assist-control ventilation, *1983*: Aug., 252
Assisted ventilation, *1983*: Aug., 252
Asthma, acute bronchial, *1983*: Aug., **279–293**
Atelectasis, *1983*: Aug., **371–378**
Atlanto-occipital dislocation, 320
Atmospheric pressure, increased, in diving, *1983*: Dec., 660–661
Atropine, in pediatric resuscitation, *1983*: April, 13; Dec., 614
Atropine sulfate, for arrhythmia, *1983*: Dec., 561
Atrial fibrillation, cardioversion for, *1983*: Dec., 537
Atrial flutter, cardioversion for, *1983*: Dec., 537
Atypical pneumonia syndrome, *1984*: Aug., 630–631
Automatic defibrillator pacer, *1983*: Dec., 547
Automobile accident. See *Motor vehicle accident*.
Autotransfusion, in multiple trauma, *1983*: Dec., 577–578; *1984*: Nov., 796
Avulsion fracture, of ankle, *1984*: May, 364
Azygous vein, trauma to, *1983*: 424

Babesiosis, *1984*: Aug., 628
Back blow, for upper airway obstruction, 1983: Aug., 274
Back pain, low, treatment of in emergency department, *1984*: May, **441–451**
Bacteremia, in child, *1983*: April, 103
Bacteria, unusual infections by, fever caused by, *1984*: Aug., 606–607
Ballance's sign, *1984*: Nov., 729
Barbiturate coma, induced, for intracranial hypertension, *1983*: April, 153
Barotrauma, *1983*: Aug., 309–310; *1984*: Aug., 517–522
Barracudas, injury by, *1984*: Aug., 533
Barton bandage, *1984*: Nov., 763
Barton fracture, radiography of, *1984*: May, 270
Batteries, dry cell, ingestion of, *1984*: Feb., 169
"Bends," *1983*: Dec., 664–666; *1984*: Aug., 523–524, 526–527
Bennett fracture, radiography of, *1984*: May, 270
Benzocaine intoxication, *1984*: Feb., 96
Benzodiazepine overdose, *1984*: Feb., 68
Benztropine mesylate, for phenothiazine overdose, *1984*: Feb., 73
Berlin's edema, *1984*: Nov., 894
Beta adrenergic agonists, in acute bronchial asthma, *1983*: Aug., 284–285
Beta-adrenoceptor antagonists, for arrhythmia, *1983*: Dec., 557

Bicarbonate, for metabolic acidosis, formula for estimating amount of, *1984*: Aug., 550
Biliary tract, disease of, parasites causing, *1984*: Aug., 619–620
Bird-of-paradise plant, ingestion of, *1984*: Feb., 135
Bite, human, of hand, *1984*: May, 305
Black widow spider, bite of, *1984*: Aug., 579–581
Bladder, urinary, injury to, *1984*: Nov., 829–832
Bleach, ingestion of, *1984*: Feb., 78, 165–166
  in child, *1983*: April, 194
Bleeding. See also *Hemorrhage*.
  external, control of in multiple trauma, *1983*: Dec., 576
  gastrointestinal, unusual infectious causes of, *1984*: Aug., 620
  occult, in CNS injury, *1983*: Dec., 586
  in multiple trauma, *1983*: Dec., 579
Bleeding disorders, in child, *1983*: April, 63–71
  abnormal laboratory findings in, *1983*: April, 65
Blood flow, mechanism of, *1983*: Dec., 509–510
  pulmonary, distribution of, *1983*: Aug., 231–232
Blood pressure, during cardiac massage, *1983*: Dec., 504–505
Blood substitutes, *1984*: Nov., 796
Bone marrow transplant, infection in child with, *1983*: April, 80–81
Boutonneuse fever, *1984*: Aug., 609
Boutonniere deformity, *1984*: May, 307–308
Bowing fracture, in child, *1984*: May, 412, 414
  radiography of, *1984*: May, 275
Bowstring sign, *1984*: May, 444
Box-jellyfish, envenomation by, *1984*: Aug., 535
Boyle's law, *1983*: Dec., 661; *1984*: Aug., 515
Brachial plexus, sensory and motor components of, *1984*: May, 282
Brain. See also specific structures.
  damage to, in electrical injury, *1984*: Aug., 493
  in hyperthermia, *1984*: Aug., 467
  in lightning injury, *1984*: Aug., 498
  herniation of, *1983*: April, 149–151
  prevention of postarrest hypoperfusion syndrome in, *1983*: Dec., 491–492
  trauma to, pathologic entities related to, *1983*: April, 142
Breathing. See *Respiration*.
Bretylium tosylate, for arrhythmia, *1983*: Dec., 557–559
  in pediatric resuscitation, *1983*: April, 14
Brill-Zinsser disease, *1984*: Aug., 626
Bronchi, rupture of, *1983*: Aug., 305–306
Bronchoconstriction, asthmatic, pathophysiology of, *1983*: Aug., 279–281
Brook formula, modified, for burns, *1983*: Dec., 599
Brown spider, bite of, *1984*: Aug., 581–582
Brucellosis, *1984*: Aug., 604, 606
Bruton's agammaglobinemia, in child, *1983*: April, 80
Bulbs, flower, ingestion of, *1984*: Feb., 135
Bullet wounds. See *Gunshot wounds*.
Burn(s), classification of depth of, *1983*: Dec., 596–597
  corneal, *1984*: Nov., 889–890
  early management of, *1983*: Dec., 595–600
  electrical, *1984*: Aug., 493
  extent of, estimation of, *1983*: Dec., 596
  prevention of, *1984*: Nov., 918
  thermal, laryngeal, *1983*: Aug., 273
Buck's skin traction, *1984*: May, 405
Buddy taping, of toes, *1984*: May, 407
Bulbocavernosus reflex, *1984*: May, 317
Bursitis, *1984*: May, 427, 429
Butyl nitrite intoxication, *1984*: Feb., 98

"Cafe coronary" syndrome, *1983*: Aug., 270–271
Caffeine intoxication, *1984*: Feb., 96–97
Caladium, exposure to, *1984*: Feb., 135
Calcaneus, anatomy of, *1984*: May, 375
  fracture of, *1984*: May, 377–380
Calcium, in pediatric resuscitation, *1983*: April, 12–13; Dec., 614
Calcium blockers, for arrhythmia, *1983*: Dec., 559–561
  for postarrest hypoperfusion syndrome, *1983*: Dec., 491–494
Calcium ions, influx of during reperfusion, *1983*: Dec., 481, 485
California encephalitis, *1984*: Aug., 627
Cannabis intoxication, *1984*: Feb., 91–92
Capillary hydrostatic pressure, *1983*: Aug., 314
Carbamate insecticides, poisoning by, *1983*: Dec., 655
Carbon dioxide, asphyxiation with, *1984*: Aug., 653
Carbon monoxide poisoning, *1983*: Dec., 655; *1984*: Aug., 656
  in child, *1983*: April, 198
Carcinoma, pulmonary pneumothorax with, *1983*: Aug., 434
  skeletal, pathologic fractures caused by, *1984*: May, 236
Cardiac arrest, in profound hypothermia, *1984*: Aug., 482
  pediatric, *1983*: Dec., **609–617**

Cardiac emergencies, in child, *1983*: April, **45–61**
Cardiac massage, alternatives and adjuncts to, *1983*: Dec., 502–503
animal models of, *1983*: Dec., 503
cardiac output in, *1983*: Dec., 503
hemodynamics of, *1983*: Dec., **501–513**
open chest, *1983*: Dec., 502
in child, *1984*: Nov., 905
standard closed chest, *1983*: Dec., 501–502
in child, *1983*: April, 6–9
Cardiac output, during cardiac massage, *1983*: Dec., 503
in pregnancy, *1984*: Nov., 844
Cardiac pacing, bipolar versus unipolar electrodes in, *1983*: Dec., 546–547
simultaneous hemodynamic monitoring with, *1983*: Dec., 548
transcutaneous stimulation in, *1983*: Dec., 542
transesophageal stimulation in, *1983*: Dec., 543–544
transthoracic stimulation in, *1983*: Dec., 544–545
transvenous stimulation in, *1983*: Dec., 545–546
Cardiac tamponade, *1984*: Nov., 726–727, 787
traumatic, *1983*: Dec., 573–574
Cardiopulmonary arrest, in child, anoxia as cause of, *1983*: April, 3–4
in electrical injuries, *1984*: Aug., 493
Cardiopulmonary bypass, urgent, *1984*: Nov., 794
Cardiopulmonary resuscitation. See *CPR*.
Cardioversion, *1983*: Dec., **535–539**
Carolina yellow jessamine, poisoning by, *1984*: Aug., 559
Carotid artery, blood flow to, during CPR, *1983*: Dec., 506–608
injury to, *1984*: Nov., 857–860
Cartilage, of knee, injury to, management of, *1984*: May, 358
Cashew nuts, rash caused by, *1984*: Feb., 134
Castor bean, ingestion of, intravascular hemolysis caused by, *1984*: Feb., 136
poisoning by, *1984*: Aug., 556–557
Castor oil overdose, *1984*: Feb., 142
Cataplexy, in child, *1983*: April, 137
Cataracts, after electrical injury, *1984*: Aug., 494
after lightning injury, *1984*: Aug., 498
traumatic, *1984*: Nov., 893
Catfish, envenomation by, *1984*: Aug., 540–541
Cathartics, for poisoning, *1984*: Feb., 24
Catheterization, subclavian, pneumothorax caused by, *1983*: Aug., 439
Catnip overdose, *1984*: Feb., 141
Cauda equina syndrome, *1984*: May, 449
Caustic ingestions, *1984*: Feb., **77–86**
Cavitation, pulmonary, causes of, *1983*: Aug., 360–361
noninfectious, *1983*: Aug., 365
Centipede, bite of, *1984*: Aug., 584
Central nervous system, assessment of, in multiple trauma, initial, *1984*: Nov., 739–740
second, *1984*: Nov., 744
control of breathing by, *1983*: Aug., 229–230
effects of hypothermia on, *1983*: Dec., 621
Century plant, dermatitis caused by, *1984*: Feb., 134
Cerebral concussion, in child, *1983*: April, 163–164
Cerebral edema, high altitude, *1984*: Aug., 507–508
Cerebral ischemia, prevention of, *1984*: Nov., 758–759
Cerebrovascular accident, in child with sickle cell disease, *1983*: April, 74–75
Cerebrum, contusion and laceration of, in child, *1983*: April, 164–167
Cervical spine, trauma to, radiography of, *1984*: May, 252–254, 262–263
Chagas disease, *1984*: Aug., 605
Chalk, ingestion of, *1984*: Feb., 164
CHEMTREC, emergency phone number of, *1983*: Dec., 653
Chest, initial examination of, *1984*: Nov., 742
injury to, in child, *1983*: April, 180–182
treatment of, *1984*: Nov., **783–798**
open wounds of, field management of, *1984*: Nov., 725
Chest tubes, *1983*: Aug., 442–444
Chest x-ray. See *Radiography, of chest*.
CHF, in child, *1983*: April, 45–49
Child, abdominal injury in, *1983*: April, 182–184
acute iron poisoning in, *1984*: Feb., **121–132**
acute leukemia in, complications in, *1983*: April, 81–82
airway obstruction in, *1983*: Dec., 611
anemia in, *1983*: April, 71–73
bacteremia in, *1983*: April, 103
bag-and-mask ventilation in, *1983*: April, 4
bleeding disorders in, *1983*: April, 63–71
cardiac arrest in, *1983*: Dec., **609–617**
cardiac emergencies in, *1983*: April, **45–61**
cardiac massage in, *1983*: April, 6–9; *1984*: Nov., 905
cardiac tamponade in, *1983*: April, 181–182
cardiopulmonary resuscitation in. See *CPR, in child*.

Child (*Continued*)
cerebral concussion in, *1983*: April, 163–164
cerebral contusion and laceration in, *1983*: April, 164–167
chest injury in, *1983*: April, 180–182
congestive heart failure in, *1983*: April, 45–49
dehydration in, *1983*: April, **113–123**
elbow injury in, *1984*: May, 305
emergencies in, symposium on, *1983*: April, **1–220**
endotracheal intubation in, *1983*: April, 4–5
epiphyseal fractures in, *1984*: May, 410, 412
radiography of, *1984*: May, 273–274
expired air ventilation in, *1983*: April, 4
febrile, identification of serious infection in, *1983*: April, 101–103
head injury in, *1983*: April, **141–174**
heart and respiratory rates in, *1983*: April, 6
immunocompromised, fever and infection in, *1983*: April, 77–81
intracranial hypertension in, signs of, *1983*: April, 149
infection in, conditions increasing risk of, *1983*: April, 108–109
meningitis in, diagnosis of, *1983*: April, 103–104
migraine in, *1983*: April, 138
mouth-to-mouth ventilation in, *1983*: April, 4
multiple injuries in, *1983*: April, **175–185**
musculoskeletal emergencies in, *1984*: May, **409–423**
nasotracheal tube in, formula for size of, *1983*: April, 178
poisoning in, *1983*: April, **187–200**
pseudoseizures in, *1983*: April, 139
seizures in, *1983*: April, **125–140**
after head trauma, *1983*: April, 155–156
sexual abuse of, *1983*: April, 212–214
sickle cell disease in, acute complications of, *1983*: April, 73–77
skeletal trauma in, radiography of, *1984*: May, 258–259
skull fracture in, *1983*: April, 157–163
sleep disturbances in, *1983*: April, 137
subdural tap in, *1983*: April, 147–148
substances ingested by, nontoxic, *1984*: Feb., **159–174**
suicide in, *1983*: April, **201–206**
superior vena cava syndrome in, *1983*: April, 82–83
syncope in, *1983*: April, 135
trauma to, *1983*: Dec., 610–611; *1984*: Nov., **899–912**
of urinary tract, *1983*: April, 184
ventilation rates for, *1983*: April, 178
vertigo in, *1983*: April, 138
vital signs in, normal, *1984*: Nov., 900
Child abuse, *1983*: April, **207–216**; Dec., 610
Chip fracture, of ankle, *1984*: May, 364
Chironex fleckeri, envenomation by, *1984*: Aug., 535
Chlordiazepoxide overdose, *1984*: Feb., 68
Chlorine, inhalation of, *1984*: Aug., 653–654
Choanal atresia, *1983*: Dec., 605
Choroid, injury to, *1984*: Nov., 894
Chylothorax, *1983*: Aug., 440
Cigarettes, ingestion of, *1984*: Feb., 166
self-extinguishing, *1984*: Nov., 708
Cimetidine, as acetaminophen antidote, *1984*: Feb., 153
Circulation, cutaneous, *1984*: Aug., 483–484
Cirrhosis, hepatic, infectious causes of, *1984*: Aug., 620
Clavicle, fracture of, *1984*: May, 288
Clothesline injury, *1983*: Aug., 302
Coagulopathy, in hyperthermia, *1984*: Aug., 467
Cocaine intoxication, *1984*: Feb., 92–93
Coccidioidomycosis, *1984*: Aug., 631
Cold medication, toxic ingestion of, *1983*: April, 199
Colorado tick fever, *1984*: Aug., 627
Colubrid snakes, *1984*: Aug., 564–565
Combustion, toxic products of, *1984*: Aug., 651
Compartment syndrome, *1984*: Nov., 854–855
in child, *1984*: May, 419–422
Compliance, of lung, *1983*: Aug., 225–226
formula for, *1983*: Aug., 226
Compression dressing, bulky, for hand, *1984*: May, 403–404
for foot, *1984*: May, 405, 407
Concussion, *1984*: Nov., 751
Cone shells, envenomation by, *1984*: Aug., 537
Congenital anomalies, associated with neonatal distress, *1983*: Dec., 605–606
Congestive heart failure, in child, *1983*: April, 45–49
Conjuctiva, injury to, *1984*: Nov., 891
Consciousness, level of, assessment of, *1984*: Nov., 739–740, 754
AVPU scale for, *1984*: May, 208
Consumer Product Safety Commission, protection of consumers by, *1984*: Nov., 707, 708
Contact lenses, abrasion of cornea by, *1984*: Nov., 889
removal of, *1984*: Nov., 885–886
Contraceptives, oral, unintentional ingestion of, *1984*: Feb., 167
Contractility, cardiac, *1983*: Aug., 319, 321

Controlled mechanical ventilation, *1983*: Aug., 251
Contusion, of foot and ankle, *1984*: May, 362
pulmonary, *1983*: Aug., 383–387
Convulsions, management of, *1984*: Aug., 471
Cooling, of hyperthermic patient, methods for, *1984*: Aug., 472–473
Copper sulfate, induction of emesis by, *1984*: Feb., 17
Copperhead snake. See *Viper*.
Coral, envenomation by, *1984*: Aug., 537
Coral snake, *1984*: 565
bite by, *1984*: Aug., 568
treatment of, *1984*: Aug., 573
Core temperature, elevated, body's response to, *1984*: Aug., 460
Cornea, injury to, *1984*: Nov., 888–890
Coronary blood flow, during CPR, *1983*: Dec., 505–506
Corticosteroids, in acute bronchial asthma, *1983*: Aug., 287
in ARDS, *1983*: Aug., 338
in resuscitation, *1983*: Dec., 565
Cottonmouth snake. See *Viper*.
Cough CPR, *1983*: Dec., 502
CPR. See also *Resuscitation*.
carotid blood flow during, *1983*: Dec., 506–508
coronary blood flow during, *1983*: Dec., 505–506
epinephrine during, *1983*: Dec., 508–509
implications of trickle perfusion during, *1983*: Dec., 489–490
in child, *1983*: April, **3–25**; Dec., 611–615
continuous infusion drugs for, *1983*: April, 15, 18–23
primary drugs for, *1983*: April, 9–14
secondary drugs for, *1983*: April, 14–15, 16–17
in multiply traumatized patient, *1983*: Dec., 573
perfusion during, increase of, *1983*: Dec., 490–491
Cranial nerves, injury to, *1984*: Nov., 897–898
Craniofacial disjunction, *1983*: Aug., 296
Crayons, ingestion of, *1984*: Feb., 164
Crib death, *1983*: April, 27–34; Dec., 610
Cricothyroidotomy, *1983*: Aug., 248
in multiple trauma, *1983*: Dec., 574; *1984*: Nov., 722
Cricothyrotomy, *1983*: Aug., 270
emergency, *1984*: Nov., 735
Crotalid. See *Rattlesnake* and *Viper*.
Croton oil overdose, *1984*: Feb., 142
CT scan, in abdominal trauma, *1984*: Nov., 818
in head trauma, *1983*: April, 146–147; Dec., 587
in maxillofacial trauma, *1984*: Nov., 766
of pelvic and acetabular injuries, *1984*: May, 341
Cuboid, fracture of, *1984*: May, 381
Cuneiform bones, fracture of, *1984*: May, 381
Cyanide, inhalation of, *1984*: Aug., 656–657
poisoning with, *1983*: Dec., 656
chemotherapy for, *1984*: Aug., 661
Cyanosis, persistent, in neonate, *1983*: Dec., 606
Cycloplegics, *1984*: Nov., 888

Dalton's law, *1983*: Dec., 661; *1984*: Aug., 516
Deadly nightshade intoxication, *1984*: Feb., 137
Death, time of, estimation of, *1983*: Dec., 703–704
Death camas, poisoning by, *1984*: Aug., 558
Death cap mushroom, poisoning by, *1984*: Aug., 559–560
Decompression sickness, *1983*: Dec., 664–666; *1984*: Aug., 523–524, 526–527
Decontamination, field, after toxic exposure, *1983*: Dec., 654
gastrointestinal, *1984*: Feb., **15–28**, 163
Deferoxamine, for iron poisoning, *1984*: Feb., 129–130
Defibrillation, alternating versus direct current for, *1983*: Dec., 522
chemical, *1983*: Dec., 518–519
decreasing thoracic impedance during, *1983*: Dec., 525
direct current shock for. See *Direct current shock*.
effect of cardiac environment on, *1983*: Dec., 524–525
effect of drugs on, *1983*: Dec., 518
electrode paddle placement in, *1983*: Dec., 525
in CPR, *1983*: Dec., **515–534**
mechanisms of, *1983*: Dec., 517–518
pediatric, *1983*: April, 23–24
repeated shocks in, *1983*: Dec., 524
Defibrillator, catheter, *1983*: Dec., 519
internal, *1983*: Dec., 519
portable and automatic, *1983*: Dec., 519
Degenerative disc disease, *1984*: May, 446–447
Degenerative joint disease, *1984*: May, 432
Dehydration, pediatric, *1983*: April, **113–123**
diarrheal, *1983*: April, 113–119
Delta-9-tetrahydrocannabinol intoxication, *1984*: Feb., 91–92
Dengue, *1984*: Aug., 600, 602–603

Dental arches, impressions of, in maxillofacial trauma, *1984*: Nov., 767
Deodorant, ingestion of, *1984*: Feb., 166
Deodorizer, cake, ingestion of, *1984*: Feb., 166
Dermatitis, plants causing, *1984*: Feb., 134
Detergent, induction of emesis by, *1984*: Feb., 17
  ingestion of, *1984*: Feb., 165
  pediatric poisoning with, *1983*: April, 194
Diaphragm, hernia of, *1983*: Aug., 459–460
  in neonate, *1983*: Dec., 606
  injury to, direct, *1983*: Aug., 461
  rupture of, *1983*: Aug., 462–466
  weakness of, *1983*: Aug., 457–459
Diarrhea, diagnosis and therapy of, *1984*: Aug., 618
  pediatric, dehydration associated with, *1983*: April, 113–119
  traveler's, *1984*: Aug., 615–617
Diazepam, during cardioversion, *1983*: Dec., 536
  overdose of, *1984*: Feb., 68
Diazinon, toxicity of, *1984*: Feb., 168
Dieffenbachia, poisoning by, *1984*: Feb., 135; Aug., 557
Diffuse axonal injury, *1984*: Nov., 751–752
Diffusion, *1983*: Aug., 233–234
Digitalis, for cardiogenic pulmonary edema, *1983*: Aug., 330
Diphenhydramine, for phenothiazine overdose, *1984*: Feb., 73
Diphtheria, *1983*: Aug., 269
Diplopia, testing for, *1984*: Nov., 884
Direct current shock, for defibrillation, adverse effects of, *1983*: Dec., 520–521
  alternating current versus, *1983*: Dec., 522
  "correct" human dose in, *1983*: Dec., 523–524
  for pediatric patient, *1983*: Dec., 526
  for pregnant patient, *1983*: Dec., 526
  paddle size/interface in, *1983*: Dec., 522–523
  waveforms in, *1983*: Dec., 522
Disaster, EMS response to, *1984*: Aug., **687–693**
Disc, degenerative disease of, *1984*: May, 446–447
Disc herniation syndrome, *1984*: May, 447–449
Dislocation. See also body part affected.
  diagnosis of, in wilderness environment, *1984*: Aug., 640
  early reduction of, advantages of, *1984*: Aug., 639–640
  initial management of, *1984*: May, 226–227, 230
Disseminated intravascular coagulation, in child, *1983*: April, 70–71
Disulfiram, alcohol ingestion and, *1984*: Feb., 59–60
Diuresis, forced, in poisoning, *1984*: Feb., 9, 32–33
Diving, medical problems in, *1984*: Aug., **513–530**
Diving reflex, *1983*: Dec., 647
  in child, *1983*: April, 52
Dobutamine, for cardiogenic pulmonary edema, *1983*: Aug., 330
  in resuscitation, *1983*: Dec., 563–564
Dopamine, for cardiogenic pulmonary edema, *1983*: Aug., 330–331
  in resuscitation, *1983*: Dec., 562
  of child, *1983*: April, 15, 19
Doriden overdose, *1984*: Feb., 68
Doxepin overdose, *1984*: Feb., 69
DPT immunization, possible cause of SIDS, *1983*: April, 33
Drowning. See also *Submersion injury*.
  adult, association of with drug and alcohol use, *1984*: Aug., 546
Drugs. See also specific agent.
  association of with hyperthermia, *1984*: Aug., 465
  common, alcoholic content of, *1984*: Feb., 60
  excretion of, *1983*: Dec., 554
  for intracranial hypertension, *1983*: April, 153
  for neonatal resuscitation, *1983*: Dec., 602
  for pediatric congestive heart failure, *1983*: April, 47–49
  for pediatric poisoning, *1983*: April, 193
  for pediatric resuscitation, *1983*: Dec., 612–615
  for pediatric status epilepticus, *1983*: April, 128–130
  for submersion injury, *1983*: Dec., 649
  illegal, legalization of, *1984*: Nov., 918–919
  metabolism of, *1983*: Dec., 554
  overdose of, in adolescent, *1984*: Feb., **175–184**
  psychoactive, overdose of, *1984*: Feb., **63–76**
  systemic absorption of, *1983*: Dec., 553–554
  use of, in resuscitation, *1983*: Dec., **553–569**
Drug abuse, common substances involved in, characteristics of, *1984*: Feb., 88
  death caused by, preservation of samples after, *1983*: Dec., 697–699
  in adolescents, *1984*: Feb., 175–177
  pneumothorax due to, *1983*: Aug., 439–440
  toxicology of, *1984*: Feb., **87–101**
Drug addiction, maternal, relation of to SIDS, *1983*: April, 30

Dry drowning, *1984*: Aug., 546
Dumb cane, toxic exposure to, *1984*: Feb., 135
Dysbaric air embolism, *1984*: Aug., 522–523
Dysbaric diving casualties, *1983*: Dec., **659–670**
Dysentery, differentiation of from nondysenteric diarrhea, *1984*: Aug., 615–616

Ear(s), burns of, *1983*: Dec., 597
  external, injury of, *1984*: Nov., 771
  initial assessment of, *1984*: Nov., 741
  injury to, in lightning injury, *1984*: Aug., 498
Ear canal squeeze, *1984*: Aug., 517
Eastern equine encephalitis, *1984*: Aug., 627–628
Echinococcosis, *1984*: Aug., 614
Edema, acute alveolar, *1983*: Aug., **313–343**
  angioneurotic, *1983*: Aug., 272
  pulmonary, *1983*: Aug., 323–327
    acute cardiogenic, causes of, *1983*: Aug., 317
Elbow, dislocation of, in wilderness environment, diagnosis of, *1984*: Aug., 641
    reduction of, *1984*: Nov., 879–880
      in wilderness environment, *1984*: Aug., 643–644
  examination of, *1984*: May, 296–297
  injury to, *1984*: May, 304–305
  splint for, *1984*: May, 398
Elbow fat pad sign, *1984*: May, 247
Electrical burns, *1984*: Aug., 493
Electrical current, resistance of body tissues to, *1984*: Aug., 491
Electrical injuries, patterns in, *1983*: Dec., 703
Electrocardiogram, in pregnancy, *1984*: Nov., 848
  in pulmonary embolism, *1983*: Aug., 398–399, 400
Electrocution, *1984*: Aug., 492
Elephant ear plant, toxic exposure to, *1984*: Feb., 135
Embolism, air, *1983*: Dec., 663
  pulmonary, *1983*: Aug., **393–415**
Emergency medicine, research in, *1983*: Dec., 477
Emesis. See also specific agent.
  induction of, *1984*: Feb., 8
    chemical, *1984*: Feb., 16–17
    common substances used for, *1984*: Feb., 160
    mechanical, *1984*: Feb., 16
EMT, primary assessment of trauma victim by, *1984*: May, 206–208
  role of in treating poisoned patient, *1984*: Feb., 5
Encephalitides, in U.S., *1984*: Aug., 627–628
Endotracheal intubation, immediate postresuscitative, *1983*: Dec., 671–672
  in child, *1983*: April, 4–5
  in multiple trauma, *1984*: Nov., 720–721
  versus tracheostomy for laryngeal trauma, *1983*: Aug., 301
Energy transfer, *1984*: Nov., 710–711
Entamoeba histolytica, intestinal infection with, *1984*: Aug., 617
Enteric fever, *1984*: Aug., 606
Environmental emergencies, symposium on, *1984*: Aug., **457–697**
Eosinophilia, tropical, *1984*: Aug., 614
Ephedrine overdose, *1984*: Feb., 95
Epidural hematoma, acute distinction from acute subdural hematoma, *1983*: April, 167–171
Epiglottitis, acute, *1983*: Aug., 268
Epilepsia partialis continua, *1983*: April, 131
Epilepsy. See also *Status epilepticus*.
  posttraumatic, in child, *1983*: April, 167
Epinephrine, in acute bronchial asthma, *1983*: Aug., 284
  in resuscitation, *1983*: Dec., 508–509, 561–562
    of child, *1983*: April, 10; Dec., 613–614
      continuous infusion of, *1983*: April, 20
Epiphyseal plate, fracture of, *1984*: May, 410, 412
    radiography of, *1984*: May, 273–274
Ergot alkaloid overdose, *1984*: Feb., 137
Esophageal obturator airway, in multiple trauma, *1983*: Dec., 575; *1984*: Nov., 721–722
Esophagogastrectomy, for caustic ingestion, *1984*: Feb., 84
Esophagoscopy, for caustic ingestion, *1984*: Feb., 80–81
Esophagus, foreign bodies in, *1983*: Aug., 271
  injury to, *1984*: Nov., 791
  intubation of, *1983*: Aug., 245
Essex-Lopresti fracture-dislocation, *1984*: May, 264, 266
Ethanol, for methanol poisoning, dose of, *1984*: Feb., 58
  pediatric poisoning with, *1983*: April, 195–196
Ethchlorvynol overdose, *1984*: Feb., 68
Ethyl alcohol, ingestion of, *1984*: Feb., 167
Ethylene glycol poisoning, *1984*: Feb., 58–59
  pyridoxine for, *1984*: Feb., 155–156
Eucalyptus oil overdose, *1984*: Feb., 140–141
Evidence, preservation of, emergency personnel responsibilities in, *1983*: Dec., 703

External cardiac pacer, *1983*: Dec., 548
Eye(s), adnexa and, injury to, emergency treatment of, *1984*: Nov., **883–898**
examination of, in burned patient, *1983*: Dec., 597
in head injury, *1983*: April, 144
initial, *1984*: Nov., 741
exposure of to toxins, treatment for, *1984*: Feb., 6
injury to, in electrical injury, *1984*: Aug., 494
in lightning injury, *1984*: Aug., 498
Eyelid, eversion of, *1984*: Nov., 885
injury to, *1984*: Nov., 895
margin of, laceration of, management of, *1984*: Nov., 769–770
Eye shield, *1984*: Nov., 887–888

Face, examination of, initial, *1984*: Nov., 741
maxilla and, injury to, *1984*: Nov., **761–782**
scalp and, bleeding from, treatment of, *1984*: Nov., 740–741
trauma to, *1983*: Aug., 295–297
Facial nerve, injury to, *1984*: Nov., 770
False morels, poisoning with, pyridoxine for, *1984*: Feb., 155
Febrile illness, helminths as cause of, *1984*: Aug., 610, 611
in patient with unusual geographic history, diagnostic considerations in, *1984*: Aug., 588–591
protozoal causes of, *1984*: Aug., 605
rash and, diagnostic considerations in, *1984*: Aug., 594–595
unusual bacterial and spirochetal infections causing, *1984*: Aug., 606–607
Femur, evaluation of, in trauma, *1984*: Nov., 875–876
fracture of, prehospital management of, *1984*: May, 213–214
Fever, child with, identification of serious infection in, *1983*: April, 101–103
management of, *1983*: April, 106–107
infant with, management of, *1983*: April, 105–106
infection and, in immunocompromised child, *1983*: April, 77–81
relapsing. See *Relapsing fever*.
Fibrillation, ventricular, events triggering, *1984*: Aug., 480
Fibula, fracture of, prehospital management of, *1984*: May, 215–216
Field decontamination, after toxic exposure, *1983*: Dec., 654
Field management. See *Prehospital care*.
Figure-of-eight splint, *1984*: May, 396
Fingers, dislocations of, reduction of, *1984*: Aug., 644
Finger splint, volar, *1984*: May, 403
Fire coral, injury caused by, *1984*: Aug., 535
Fixation, intermaxillary, *1984*: Nov., 767, 778, 780
Flail chest, *1983*: Aug., 453, 455–456; Dec., 575; *1984*: Nov., 786–787
prehospital treatment of, *1984*: Nov., 724–725
Fluids, administration of, in ARDS, *1983*: Aug., 337–338
for resuscitation, *1983*: Dec., 578–579
controversy over, *1983*: Dec., 684–685
in burns, *1983*: Dec., 598–599
selection of, *1984*: Nov., 746–747
maintenance of, in pediatric diarrheal dehydration, *1983*: April, 116–117
repletion of, in multiple trauma, *1983*: Dec., 576
in pediatric diarrheal dehydration, *1983*: April, 117–118
Fluorescein staining, of eye, *1984*: Nov., 884–885
Flurazepam overdose, *1984*: Feb., 68
Folate, for methanol toxicity, *1984*: Feb., 150
Foley catheter, in burns, *1983*: Dec., 598
in multiple trauma, *1983*: Dec., 580; *1984*: May, 243
"Food poisoning," *1984*: Aug., 631
Foot, ankle and, injuries to, *1984*: May, **361–389**
prehospital management of, *1984*: May, 216
radiography of, *1984*: May, 362
compression dressing for, *1984*: May, 405, 407
examination of, in trauma, *1984*: Nov., 877
Forced diuresis, for poisoning, *1984*: Feb., 9, 32–33
Forensic medicine, in emergency department, *1983*: Dec., **693–704**
Formaldehyde, inhalation of, *1984*: Aug., 655
Foxglove, poisoning by, *1984*: Aug., 555–556
Fraction of inspired oxygen, decreased, *1983*: Aug., 234
Fracture. See also particular type and structure involved.
cervical, association of with maxillofacial trauma, *1984*: Nov., 764
facial, radiography of, *1984*: May, 267
femoral, prehospital management of, *1984*: May, 213–214
frontobasilar, *1984*: Nov., 774–775

humeral, *1984*: May, 292–293
in children, *1984*: May, 414–416
mandibular, *1984*: Nov., 780–781
maxillary, hemorrhage with, control of, *1984*: Nov., 762–764
Le Forte classification of, *1983*: Aug., 296–297; *1984*: Nov., 777–778
nasal, *1984*: Nov., 772
nasoethmoidal, hemorrhage with, control of, *1984*: Nov., 762–764
nasoethmoidal-orbital, *1984*: Nov., 773–774
navicular, *1984*: May, 381
nondisplaced, initial management of, *1984*. May, 220–221
of epiphyseal plate, *1984*: May, 410, 412
of frontal sinus, *1984*: Nov., 775
of hand and wrist, commonly missed, *1984*: May, 310–312
of hip, *1984*: May, 336
of infraorbital rim, *1984*: Nov., 776–777
of knee, initial management of, *1984*: May, 356
of lower extremity, in wilderness environment, *1984*: Aug., 637–639
of malleolus, *1984*: May, 367, 370–372
of maxillary sinus, *1984*: Nov., 777
of medial orbital wall, *1984*: Nov., 776
of orbital floor, *1984*: Nov., 775–776
of rib, *1983*: Aug., 451–453, 454; *1984*: Nov., 788
of skull, in child, *1983*: April, 157–163
of upper extremity, in wilderness environment, *1984*: Aug., 636–637
open, *1984*: Nov., 880
field management of, *1984*: May, 211
initial emergency department management of, *1984*: May, 221–224
orbital, *1984*: Nov., 773–774, 895–896
pathologic, initial management of, *1984*: May, 235–237
pelvic. See *Pelvis, fracture of.*
phalangeal, *1984*: May, 386
scapular, *1984*: May, 291–292
sternal, *1983*: Aug., 456–457; *1984*: Nov., 788
stress, *1984*: May, 386–387
initial management of, *1984*: May, 219–220
supraorbital, *1984*: Nov., 775
tibial and fibular, prehospital management of, *1984*: May, 214–215
zygomaticomaxillary, *1984*: Nov., 772–773
Fracture-dislocation, initial management of, *1984*: May, 230
Frontal sinus, fracture of, *1984*: Nov., 775
Frostbite, *1984*: Aug., 482–487
Furosemide, for cardiogenic pulmonary edema, *1983*: Aug., 328–329

Galeazzi fracture-dislocation, *1984*: May, 264, 265
Gamekeeper's thumb, *1984*: May, 308
radiography of, *1984*: May, 268
Gamma benzene hexachloride poisoning, *1984*: Feb., 59
Garter snake, envenomation by, *1984*: Aug., 565
Gastric lavage, for poisoning, *1984*: Feb., 8, 20–22
Gastroenteritis, sexual transmission of pathogens causing, *1984*: Aug., 632
Gastroesophageal reflux, in infant, apnea caused by, *1983*: April, 38–39
possible cause of SIDS, *1983*: April, 33
"Gastrointestinal dialysis," *1984*: Feb., 23
Gastrointestinal dilution, in poisoning, *1984*: Feb., 15–16
Gastrointestinal tract, decontamination of, *1984*: Feb., **15–28**, 163
effects of hypothermia on, *1983*: Dec., 621
Genitalia, trauma to, *1984*: Nov., 840
Genitourinary system, prehospital examination of, *1984*: Nov., 730
trauma to, in child, *1984*: Nov., 908–909
Giant hogweed, dermatitis caused by, *1984*: Feb., 134
Giardia lamblia, water contamination by, *1984*: Aug., 631
in U.S., *1984*: Aug., 624–625
Giardiasis, *1984*: Aug., 617
Gila moster, bite by, *1984*: Aug., 567–568
treatment of, *1984*: Aug., 569, 572
Glasgow coma scale, *1983*: April, 144; *1984*: Nov., 754
Glenohumeral joint, injury to, *1984*: May, 289–291
Glue, ingestion of, *1984*: Feb., 164
inhalation of, intoxication due to, *1984*: Feb., 97, 169
Glutethimide overdose, *1984*: Feb., 68
Gordolobo yerba herbal tea, liver disease caused by, *1984*: Feb., 135
Gout, *1984*: May, 432, 434
Guerin fracture, *1983*: Aug., 296
Gunshot wound, damage caused by, *1983*: Aug., 379
in pregnant patient, *1984*: Nov., 850
initial management of, *1984*: May, 225–226
of abdomen, exploratory laparotomy in, *1984*: Nov., 806
of arm, *1984*: May, 294
of face, *1984*: Nov., 781
patterns of injury in, *1983*: Dec., 695–697
Gutter splint, *1984*: May, 398, 403

HALFD, for burns, *1983*: Dec., 599
Hampton's hump, *1983*: Aug., 399, 401

Hand, bulky compression dressing for, *1984*: May, 403–404
examination of, *1984*: Nov., 874
wrist and, dislocations of, *1984*: May, 308–309
examination of, *1984*: May, 297–303
fractures of, commonly missed, *1984*: May, 310–312
liagmentous injuries of, *1984*: May, 308
Hangman's fracture, *1984*: May, 322
Hashish, intoxication with, *1984*: Feb., 91
Hazardous chemicals, exposure to, resuscitation from, *1983*: Dec., **653–657**
Head, injury to, emergency department management of, *1984*: Nov., **749–760**
in child, *1983*: April, **141–174**
in wilderness environment, *1984*: Aug., 647
major, disposition of patient in, *1983*: Dec., 590
minor, disposition of patient in, *1983*: Dec., 590–591
open, *1983*: Dec., 589
spinal cord injury and, resuscitation of patient with, *1983*: Dec., **583–594**
neck and, injury to, prehospital examination in, *1984*: Nov., 727–728
Heart. See also *Cardiac*.
effects of hypothermia on, *1983*: Dec., 620
prevention of reperfusion injury in, *1983*: Dec., 492–493
Heart rate, *1983*: Aug., 321
in child, *1983*: April, 6
in pregnancy, *1984*: Nov., 844
Heat, physiology of, *1984*: Aug., 460–461
Heat cramps, *1984*: Aug., 462–463
Heat exhaustion, *1984*: Aug., 463
Heat stroke, classic, *1984*: Aug., 464
drug-induced, *1984*: Aug., 465–466
exertional, *1984*: Aug., 464–465
Heimlich maneuver, *1983*: Aug., 274–275
Heimlich valve, prehospital placement of, *1984*: Nov., 724
Helicopter transport, of multiply traumatized patient, *1983*: Dec., 572
Hellebore, poisoning by, *1984*: Aug., 558
Helminths, fever caused by, *1984*: Aug., 610, 611
Hemarthrosis, *1984*: May, 434, 436
of knee, *1984*: May, 430
Hematocrit, decrease in, during pregnancy, *1984*: Nov., 848–849
Hematoma, acute epidural distinguished from acute subdural, *1983*: April, 167–171
pulmonary, *1983*: Aug., 382
Hemlock, poisoning with, *1984*: Feb., 138; Aug., 556
Hemodialysis, in poisoning, *1984*: Feb., 34–36
pharmacokinetic prediction of the efficacy of, *1984*: Feb., 42
Hemodialysis clearance, formula for, *1984*: Feb., 40, 41
Hemoglobin, decrease in, during pregnancy, *1984*: Nov., 848–849
Hemolytic anemia, in child, common causes of, *1983*: April, 71–72
Hemoperfusion, in poisoning, *1984*: Feb., 36–38
pharmacokinetic prediction of the efficacy of, *1984*: Feb., 42
Hemoperfusion clearance, formula for, *1984*: Feb., 40, 41
Hemophilia, in child, *1983*: April, 67–70
Hemorrhage. See also *Bleeding*.
control of, in traumatized patient, *1984*: May, 207–208
external, in child, *1984*: Nov., 901
in hemophiliac, *1983*: April, 68–69
in patient with pelvic fracture, *1984*: May, 342–344
into retropharyngeal space, anticoagulants causing, *1983*: Aug., 271
intracranial, in child with acute leukemia, *1983*: April, 81–82
maxillofacial, control of, *1984*: Nov., 762–764
peripheral vascular, control of, *1984*: Nov., 856
retinal, high altitude, *1984*: Aug., 508–509
Hemorrhagic disorders, in child, *1983*: April, 63–71
Hemothorax, *1983*: Aug., 440–441; Dec., 575
with pneumothorax, *1983*: Aug., 441
Henbane, intoxication with, *1984*: Feb., 137
Henry's law, *1983*: Dec., 662; *1984*: Aug., 516
Heparin, for pulmonary embolism, *1983*: Aug., 408–410
in pediatric resuscitation, *1983*: April, 23
Hepatitis, *1984*: Aug., 619
Herbal overdose, *1984*: Feb., 138–140
Hernia, diaphragmatic, *1983*: Aug., 459–460
in neonate, *1983*: Dec., 606
Herniation, brain, *1983*: April, 149–151
Hetastarch, in resuscitation, *1983*: Dec., 578
Hexachlorophene, ingestion of, *1984*: Feb., 167
Hindfang snakes, *1984*: Aug., 564–565
Hip, dislocation of, in wilderness environment, diagnosis of, *1984*: Aug., 641
reduction of, *1984*: Nov., 879
in wilderness environment, *1984*: Aug., 644–645
examination of, *1984*: Nov., 875

fracture of, *1984*: May, 336
injury to, radiography of, *1984*: May, 342
pelvis and injuries of, *1984*: May, **331–346**
field management of, *1984*: May, 212–213
History, of patient, in multiple trauma, *1984*: Nov., 731, 739
Holly berries, ingestion of, *1984*: Feb., 135
Home electronic monitoring, for prolonged infantile apnea, *1983*: April, 39–41
Homicide, prevention of, *1984*: Nov., 917–918
Household cements, ingestion of, *1984*: Feb., 164
Household products, frequently ingested, nontoxic, *1984*: Feb., 162
Humerus, fracture of, *1984*: May, 292–293
Hydatid disease, *1984*: Aug., 631
Hydrogen sulfide, inhalation of, *1984*: Aug., 657
Hypercapnia, pulmonary function values in, *1983*: Aug., 282
Hyperinfection syndrome, *1984*: Aug., 613–614
Hyperthermia, environmental and drug-induced, *1984*: Aug, **459–474**
malignant, *1984*: Aug., 466
Hyphema, *1984*: Nov., 892
Hypokalemia, as cause of heat stroke, *1984*: Aug., 464
Hypoperfusion, organ, postarrest, *1983*: Dec., 486
Hypotension, in patient with spinal injury, treatment of, *1983*: Dec., 589
positional, in pregnancy, *1984*: Nov., 848
unresponsive to fluid resuscitation, treatment of, *1984*: Nov., 803–805
Hypothermia, *1984*: Aug., 476–482
accidental, *1983*: Dec., **619–637**
in multiple trauma, *1984*: Nov., 796
in submersion injury, *1984*: Aug., 548, 550
therapeutic, for intracranial hypertension, *1983*: April, 153–154
Hypoventilation, *1983*: Aug., 232
Hypoxemia, *1983*: Aug., 232
pulmonary function values in, *1983*: Aug., 282
Hypoxemic spells, in child, *1983*: April, 58–60

Idiopathic thrombocytic purpura, in child, *1983*: April, 66–67
Imipramine overdose, *1984*: Feb., 69
Immersion syndrome, *1983*: Dec., 644
Immobilization, of extremities, prehospital, *1984*: May, 211
of trauma patient, before transport, *1984*: May, 209
Immunodeficiency, infection and fever in child with, *1983*: April, 77–81
Inandione, toxicity of, *1984*: Feb., 168
Indomethacin, after ischemia, *1983*: Dec., 494
Infant. See also *Child* and *Neonate*.
acute adrenal insufficiency in, *1983*: April, 120
dehydration in, *1983*: April, 119–123
expired air ventilation in, *1983*: April, 4
external cardiac massage in, *1983*: April, 6–9
fever in, management of, *1983*: April, 105–106
heart and respiratory rates in, *1983*: April, 6
intracranial hypertension in, signs of, *1983*: April, 149
prolonged sleep apnea in, *1983*: April, 36–38
pyloric stenosis in, *1983*: April, 121–122
renal dysplasia with salt wasting in, *1983*: April, 121
sudden death syndrome (SIDS) in, *1983*: April, 27–34
characteristics of those affected by, *1983*: April, 27–34
Infant botulism, possible cause of SIDS, *1983*: April, 33
Infantile syncope, *1983*: April, 135–136
Infection, children with increased risk of, *1983*: April, 108–109
enteric, sexual transmission of, *1984*: Aug., 632
fever and, in immunocompromised child, *1983*: April, 77–81
in child with sickle cell disease, *1983*: April, 76–77
of hand and wrist, *1984*: May, 305–306
Infectious diseases, in U.S., principal insect vectors of, *1984*: Aug., 624
of travelers and immigrants, *1984*: Aug., **587–622**
unusual, acquired in U.S. fields and forests, *1984*: Aug., **623–633**
Influenza virus, pneumonia caused by, *1983*: Aug., 355–356
Inhalants, types of, *1984*: Aug., 650
Injury(ies). See also *Trauma*.
electrical, *1984*: Aug., 489–496
lightning, *1984*: Aug., 496–498
strategies for reducing, *1984*: Nov., 712
traumatic, in wilderness environment, *1984*: Aug., **635–647**
Ink, ingestion of, *1984*: Feb., 164
Inky cap mushroom, poisoning by, *1984*: Aug., 560

Inner ear squeeze, *1984*: Aug., 518–520
Innominate artery, injury to, *1984*: Nov., 789
Insects, causing infectious disease, in U.S., *1984*: Aug., 624
Insect bites, allergic reaction to, *1984*: Aug., 584–585
Insecticides, toxicity of, *1984*: Feb., 168
Inspiratory capacity, *1983*: Aug., 226
Insulin, in pediatric resuscitation, *1983*: April, 23
Intercostal arteries, trauma to, *1983*: Aug., 425
Intermaxillary fixation, *1984*: Nov., 767, 778, 780
Intermittent mandatory ventilation, *1983*: Aug., 252–253
Intermuscular fat planes, radiography of, evidence of fracture or dislocation on, *1984*: May, 247–248
Internal mammary arteries, trauma to, *1983*: Aug., 425
Internal thoracic artery, anatomy of, *1983*: Aug., 420
Interstitial pressure, *1983*: Aug., 315
Intoxication. See also *Poisoning* and specific substance.
  alcoholic, management of patient with, *1984*: Feb., 53–55
Intra-aortic balloon pump, *1983*: Dec., 674–676
Intracranial hypertension, hypothermia for, *1983*: April, 153–154
  in child, *1983*: April, 149
  monitoring of, *1983*: April, 94, 95
  prehospital management of, *1984*: Nov., 728
Intracranial pressure, control of in Reye's syndrome, *1983*: April, 96–98
  monitoring of, *1983*: April, 152
Intrapulmonary shunt, equation for, *1983*: Aug., 235–236
  right to left, *1983*: Aug., 232–233
Intravenous catheterization, *1984*: Nov., 745–746
Intravenous pyelogram, in abdominal trauma, *1984*: Nov., 817
Intubation, *1984*: Nov., 744–745
  complications of, *1983*: Aug., 244–245
  endotracheal. See *Endotracheal intubation*.
  esophageal, *1983*: Aug., 245
  nasogastric, in multiple trauma, *1983*: Dec., 579–580
  nasotracheal. See *Nasotracheal intubation*.
  orotracheal, advantages of, *1983*: Aug., 243
  tracheal, *1983*: Aug., 241–243
Ipecac, for poisoning, versus lavage, *1983*: April, 191
  induction of emesis by, *1984*: Feb., 18–20
  for iron poisoning, *1984*: Feb., 129
  overdose of, *1984*: Feb., 168
Ipratropium bromide, in acute bronchial asthma, *1983*: Aug., 286–287
Iris, injury to, *1984*: Nov., 893
Iritis, *1984*: Nov., 892
Iron, toxic ingestion of, in child, *1983*: April, 196–197; *1984*: Feb., **121–132**
Irradiation, victims of, management of, *1984*: Aug., **667–686**
Ischemia, tolerance of, extension of, *1983*: Dec., 490–491
Isobutyl nitrite intoxication, *1984*: Feb., 98
Isoetharine hydrochloride, in acute bronchial asthma, *1983*: Aug., 285
Isoniazid toxicity, pyridoxine for, *1984*: Feb., 155
Isopropanol intoxication, *1984*: Feb., 59
Isoproterenol, for arrhythmia, *1983*: Dec., 561
  in pediatric resuscitation, *1983*: April, 19–20; Dec., 614–615

J wave, in hypothermia, *1983*: Dec., 623–624
Jack-in-the-pulpit, toxic exposure to, *1984*: Feb., 135
Jefferson fracture, *1984*: May, 320, 322
Jequirty bean, poisoning by, *1984*: Aug., 557
  intravascular hemolysis caused by, *1984*: Feb., 136
Jerusalem cherry, poisoning by, *1984*: Aug., 557–558
Jimsonweed, poisoning by, *1984*: Feb., 137; Aug., 559
Joint, disease of, degenerative, *1984*: May, 432
  effusion in, radiography of, *1984*: May, 250
  instability of, in multiple trauma, *1984*: Nov., 880
  swelling of, evaluation of in emergency department, *1984*: May, **425–440**
Jones compression dressing, *1984*: May, 405
Jones fracture, *1984*: May, 384–385
Joule's law, *1984*: Aug., 490

Kala-azar, *1984*: Aug., 605
Kehr's sign, *1984*: Nov., 728–729
Kidney(s), dysplasia of, associated with salt wasting, in infant, *1983*: April, 121

effects of hypothermia on, *1983*: Dec., 620
failure of, in electrical injury, *1984*: Aug., 493
in hyperthermia, *1984*: Aug., 468
plant ingestions affecting, *1984*: Feb., 136
prevention of reperfusion injury in, *1983*: Dec., 493
trauma to, blunt, *1984*: Nov., 832–836
penetrating, *1984*: Nov., 838–839
Kinetic energy, formula for, *1983*: Aug., 379
Knee, aspiration of, *1984*: May, 355
avulsion fracture of, radiography of, *1984*: May, 269
cartilage of, injury to, management of, *1984*: May, 358
dislocation of, in wilderness environment, diagnosis of, *1984*: Aug., 641
reduction of, *1984*: Nov., 879
in wilderness environment, *1984*: Aug., 646
examination of, in trauma, *1984*: Nov., 876
fracture of, initial management of, *1984*: May, 356
hemarthrosis of, *1984*: May, 430
injury to, prehospital management of, *1984*: May, 214
primary evaluation and management of, *1984*: May, **347–359**
radiography of, *1984*: May, 355

Lacrimal system, injury to, *1984*: Nov., 770
Laetrile, cyanide intoxication caused by, *1984*: Feb., 136
Laparotomy, exploratory, decision-making for, *1984*: Nov., 802–803
in hypotensive patient, *1984*: Nov., 803
in thoracic trauma, *1984*: Nov., 793–794
Laryngitis, *1983*: Aug., 269–270
Laryngospasm, *1983*: Aug., 271–272
Larynx, damage to by corrosives and toxins, *1983*: Aug., 272–273
foreign bodies in, *1983*: Aug., 270–271
thermal burns of, *1983*: Aug., 273
trauma to, *1983*: Aug., 270, 298–301
Lateral collateral ligament, of knee, anatomy of, *1984*: May, 349
Le Fort maxillary fracture, *1983*: Aug., 296–297; *1984*: Nov., 777–778
Leg. See *Lower extremity*.
Legionnaires' disease, *1983*: Aug., 356–357
Leishmaniasis, visceral, *1984*: Aug., 604
Lens, of eye, injury to, *1984*: Nov., 893
Leptospirosis, *1984*: Aug., 607, 629–630
Leukemia, acute, in child, complications in, *1983*: April, 81–82
Levarterenol bitartrate, in resuscitation, *1983*: Dec., 562
Levophed, in pediatric resuscitation, *1983*: April, 20–21
Lidocaine, during CPR, *1983*: Dec., 555
in child, *1983*: April, 13–14; Dec., 614
continuous infusion of, *1983*: April, 22
intoxication with, *1984*: Feb., 96
Ligament, injury to, initial management of, *1984*: May, 235
of hand and wrist, injury to, *1984*: May, 308
of knee, injury to, management of, *1984*: May, 356, 358
Lightning injuries, *1983*: Dec., **639–641**; *1984*: Aug., 496–498
Lily of the valley, ingestion of, *1984*: Feb., 142–143
digitalis effects caused by, *1984*: Feb., 137
Limping, in child, *1984*: May, 416–419
Lipohemarthrosis, pneumoarthrosis and, radiography of, *1984*: May, 250, 251
Liquid cleaner, ingestion of, *1984*: Feb., 165
Liquid emetic agent (LEA), *1984*: Feb., 17
Lithium overdose, *1984*: Feb., 68, 73–74
in alcoholic patient, *1984*: Feb., 59
Liver, abscess of, amebic, *1984*: Aug., 619
plants causing damage to, *1984*: Feb., 135
Lobeline intoxication, *1984*: Feb., 141–142
Local anesthetics, abuse of, *1984*: Feb., 96
Lorazepam overdose, *1984*: Feb., 68
Louse-borne relapsing fever, *1984*: Aug., 604–608
Low back pain, treatment of in emergency department, *1984*: May, **441–451**
Lower extremity, examination of, in trauma, *1984*: Nov., 876–877
fracture of, in wilderness environment, *1984*: Aug., 637–639
posterior splint for, *1984*: May, 405
vascular injury in, *1984*: Nov., 866–868
LSD intoxication, *1984*: Feb., 87, 89
Ludwig angina, *1983*: Aug., 269
Lumbosacral plexus, injury to, *1984*: May, 339
Lungs. See also *Pulmonary*.
abscess of, primary, *1983*: Aug., 361–365
blood flow in, *1983*: Aug., 231–232
compliance of, *1983*: Aug., 225–226
formula for, *1983*: Aug., 226
contusion of, *1983*: Aug., 383–387
effect of hypothermia on, *1983*: Dec., 622
effect of submersion on, *1983*: Dec., 645
hematoma of, *1983*: Aug., 382
initial assessment of, in multiple trauma, *1984*: Nov., 735–736
laceration of, *1983*: Aug., 382–383

Lungs (*Continued*)
pseudocyst of, *1983*: Aug., 380–381
reperfusion injury in, prevention of, *1983*: Dec., 493–494
total capacity of, *1983*: Aug., 226
trauma to, *1984*: Nov., 791
zones of, *1983*: Aug., 231
Lye, ingestion of. See *Caustic ingestions*.
Lyme disease, *1984*: Aug., 607, 630
Lymphatics, pulmonary, drainage of, *1983*: Aug., 316–317

Magnesium salts, subcutaneous, in treatment of acid burns, *1984*: Feb., 153
Maisonneuve fracture, *1984*: May, 264, 267
Malaria, *1984*: Aug., 596–600
drug therapy for, *1984*: Aug., 602
falciparum, differentiation of, *1984*: Aug., 599
resistance of to chloroquine, *1984*: Aug., 598, 600, 601
Malathion, toxicity of, *1984*: Feb., 168
Malgaigne fracture-dislocation, *1984*: May, 334
Malignant hyperthermia, *1984*: Aug. 466
Malleolus, fracture of, radiography of, *1984*: May, 372–374
types of, *1984*: May, 367, 370–372
Mallet finger, *1984*: May, 308
radiography of, *1984*: May, 268
Mammalian diving reflex, *1983*: Dec., 647
in child, *1983*: April, 52
Mandible, fracture of, *1984*: Nov., 780–781
trauma to, *1983*: Aug., 297
Mannitol, for head injury, *1983*: Dec., 588
March fractures, *1984*: May, 386–387
Marijuana intoxication, *1984*: Feb., 91
Mass casualty, EMS response to, *1984*: Aug., **687–693**
MAST trousers, in multiple trauma, *1983*: Dec., 576–577
prehospital use of, *1984*: Nov., 725–726
use of, during closed chest massage, *1983*: Dec., 502–503
in child, *1984*: Nov., 902–903
Matches, ingestion of, *1984*: Feb., 166
Maxilla, fracture of, Le Fort, *1983*: Aug., 296–297; *1984*: Nov., 777–778
Maxillary sinus, fracture of, *1984*: Nov., 777
Maxillofacial injuries, *1984*: Nov., **761–782**
Mechanical ventilation, *1983*: Aug., 248–250. See also mode and type of ventilator.
as cause of pneumothorax, *1983*: Aug., 438–439
fighting of, *1983*: Aug., 254
in ARDS, *1983*: Aug., 335–337
in atelectasis, *1983*: Aug., 377
indications for, *1983*: Dec., 672
institution of, *1983*: Aug., 253–254
Meconium staining, *1983*: Dec., 604
Medial collateral ligament, of knee, anatomy of, *1984*: May, 348–349
Medical examiner, statutory responsibilities of, *1983*: Dec., 694–695
Meliodosis, *1984*: Aug., 606, 613
Meningitis, diagnosis of, in child, *1983*: April, 103–104
Menisci, role of in knee, *1984*: May, 351
Mercurochrome, ingestion of, *1984*: Feb., 166–167
Merthiolate, ingestion of, *1984*: Feb., 166–167
Mesoridazine overdose, *1984*: Feb., 71
Metabolic acidosis, in alcoholic patient, *1984*: Feb., 55–59
Metal fume fever, *1984*: Aug., 658–659
Metaproterenol, in acute bronchial asthma, *1983*: Aug., 285
Metatarsals, fracture of, *1984*: May, 384–385
Metatarsophalangeal joints, dislocation of, *1984*: May, 385–386
Methane, asphyxiation with, *1984*: Aug., 653
Methanol poisoning, *1984*: Feb., 56–58
folate for, *1984*: Feb., 150
Methaqualone overdose, *1984*: Feb., 68
Methemoglobinemia, *1983*: Dec., 656
Middle ear squeeze, *1984*: Aug., 517–518
Migraine, in child, *1983*: April, 138
Millipede, bite of, *1984*: Aug., 584
Minilaparotomy, *1984*: Nov., 813
Minute ventilation, *1983*: Aug., 227
Mistletoe, digitalis type of effects caused by, *1984*: Feb., 137
Mitochondria, uncoupling of during reperfusion, *1983*: Dec., 485
Monkshood, poisoning by, *1984*: Feb., 142; Aug., 558
Monteggia fracture-dislocation, *1984*: May, 264–265
Moray eel, injury by, *1984*: Aug., 533
Morphine sulfate, for cardiogenic pulmonary edema, *1983*: Aug., 329–330
Mortality rate, relationship of to time to definitive treatment, *1984*: Nov., 801
Mother-in-law plant, toxic exposure to, *1984*: Feb., 135
Motorcycle helmets, use of, correlation of with injury prevention, *1984*: Nov., 918
Motor vehicle accident, musculoskeletal injuries in victim of, *1984*: May, 239–240, 336
patterns of injury in, *1983*: Dec., 699–701
prevention of, *1984*: Nov., 916–917
passive protective measures for, *1984*: Nov., 706

Mountain sickness, acute, *1984*: Aug., 505
Mucomyst, for acetaminophen overdose, *1984*: Feb., 109
Multiple trauma, epidemiology and prevention of, *1984*: Nov., **701–715**
evaluation of musculoskeletal injury in, *1984*: May, 239–240, 242; Nov., 743–744, **871–882**
in child, *1983*: April, **175–185**
prehospital care of, *1983*: Dec., 571–572
resuscitation in, *1983*: Dec., **571–582**
symposium on, *1984*: Nov., **699–948**
Muscles, respiratory, weakness of, *1983*: Aug., 457–459
smooth, of airway, nervous system influence on, *1983*: Aug., 280
Muscle testing, in shoulder injury, *1984*: May, 281–282
Musculocutaneous injuries, splinting of, principles and techniques of, *1984*: May, **391–407**
Musculoskeletal system, injury to, evaluation of in emergency department, *1984*: May, **219–244**
in children, *1984*: May, **409–423**
in multiply traumatized patient, *1984*: Nov., **871–882**
initial examination of, *1984*: May, 239–240, 242; Nov., 743–744
prehospital care of, *1984*: May, **205–217**
symposium on, *1984*: May, **203–456**
Mushrooms, amatoxin-containing, poisoning with, thioctic acid for, *1984*: Feb., 154–155
toxic, *1984*: Aug., 559–561
Myocardial infarction, *1983*: Dec., 676–677
acute, streptokinase for, *1983*: Dec., 687–689
Myofibrillar contraction, calcium-activated, during anoxia or ischemia, *1983*: Dec., 485–486
Myositis, acute ischemic, in child, *1984*: May, 419–420

N-acetylcysteine, antidotal use of, *1984*: Feb., 151–152
for acetaminophen overdose, *1984*: Feb., 109
Nail polish remover, ingestion of, *1984*: Feb., 165
Naloxone (Narcan), high dose administration of, *1984*: Feb., 145–147
in resuscitation, *1983*: Dec., 564
unusual antidotal uses of, *1984*: Feb., 148
Narcolepsy, in child, *1983*: April, 137
Nasogastric intubation, in multiple trauma, *1983*: Dec., 579–580
Nasopharynx, bleeding from, tamponading of, *1984*: Nov., 741
Nasotracheal intubation, *1983*: Aug., 243–244
in multiple trauma, *1984*: Nov., 721
in spinal injury, *1983*: Dec., 585
of child, formula for tube size, *1983*: April, 178
National Pesticide Network, emergency phone number of, *1983*: Dec., 655
Navicular, fracture of, *1984*: May, 381
"Near-miss SIDS," *1983*: April, 34–36
Neck, head and, injury to, prehospital examination in, *1984*: Nov., 727–728
initial assessment of, *1984*: Nov., 741–742
shoulder and, examination of, *1984*: Nov., 872, 874
Needlefish, injury by, *1984*: Aug., 533
Needle thoracostomy, prehospital, *1984*: Nov., 724
Nematocyst envenomation, *1984*: Aug., 535–537
Neonatal intensive care unit, indications for transfer to, *1983*: Dec., 606
Neonate, head trauma in, scalp swelling after, *1983*: April, 156–157
resuscitation of, *1983*: Dec., **601–608**
Nerve(s), cranial, injury to, *1984*: Nov., 897–898
facial, injury to, *1984*: Nov., 770
injury to, in upper extremity, *1984*: Nov., 862–863
Nicotinamide, for PNU toxicity, *1984*: Feb., 153–154
Nifedipine, for cardiogenic pulmonary edema, *1983*: Aug., 333
Nitrite intoxication, *1984*: Feb., 98–99
Nitrogen dioxide, inhalation of, *1984*: Aug., 654–655
Nitrogen narcosis, *1983*: Dec., 664; *1984*: Aug., 523
Nitroglycerin, for cardiogenic pulmonary edema, *1983*: Aug., 331
Nitroprusside, in pediatric resuscitation, *1983*: April, 21
Nonprescription drugs, common, alcohol content of, *1984*: Feb., 60
Nontoxic ingestions, *1984*: Feb., **159–174**
Norepinephrine, in resuscitation, *1983*: Dec., 562
of child, *1983*: April, 20–21
Nose, fracture of, *1984*: Nov., 772
initial examination of, *1984*: Nov., 741
Nuclear accident. See *Radiation accident*.
"Nursemaid's elbow," *1984*: May, 257–258, 305

Octopus, envenomation by, *1984*: Aug., 537–538
Ohm's law, *1984*: Aug., 490

Oklahoma Poison Control Center, phone number for, *1984*: Aug., 577
Oleander, poisoning by, *1984*: Feb., 137; Aug., 555
Open fracture. See *Fracture, open.*
Ophthalmoscopy, *1984*: Nov., 886–887
Opportunistic infections, pathogens causing, *1983*: Aug., 358
  predisposing conditions, *1983*: Aug., 357
Optic nerve, damage to, *1984*: Nov., 894–895
Orbit, fractures of, *1984*: Nov., 773–774, 895–896
Organic isocyanates, inhalation of, *1984*: Aug., 659
Organic solvents, inhalation of, by alcoholic patient, *1984*: Feb., 59
  intoxication due to, *1984*: Feb., 97–98
Organophosphate, inhalation of, *1984*: Aug., 658
  poisoning by, *1983*: Dec., 655
    chemotherapy for, *1984*: Aug., 662
Orotracheal intubation, advantages of, *1983*: Aug., 243
Orthopedics, in emergency department, symposium on, *1984*: May, **203–456**
Osborne wave, in hypothermia, *1983*: Dec., 623–624
Osmolality, serum, formula for, *1984*: Feb., 51
Osteochondral fracture, radiography of, *1984*: May, 270–271
Overdose, in adolescent, *1984*: Feb., **175–184**
  with psychoactive medication, *1984*: Feb., **63–76**
Oxazepam overdose, *1984*: Feb., 68
Oxygen, alveolar to arterial difference of, *1983*: Aug., 235
  in pediatric resuscitation, *1983*: April, 6, 9–10
Oxygen pressure, ideal, formula for, *1983*: Aug., 398

Pacing, in CPR, *1983*: Dec., **541–552**
"Padded dashboard" syndrome, *1983*: Aug., 299
Paints, artistic, ingestion of, *1984*: Feb., 164
  household, toxicity of, *1984*: Feb., 168–169
Pancreas, traumatic injury to, *1984*: Nov., 809
Pancuronium, for Reye's syndrome, *1983*: April, 97
Paracentesis, abdominal, *1983*: April, 183
Paraffin, toxicity of, *1984*: Feb., 169
Paragonimiasis, *1984*: Aug., 612–613
Paraldehyde, overdose of, *1984*: Feb., 55–56
Parasympathetic antagonists, in acute bronchial asthma, *1983*: Aug., 286–287
Parathion, toxicity of, *1984*: Feb., 168
Parkland crystalloid formula, for burns, *1983*: Dec., 598–599
Paronychia, *1984*: May, 306
Parotid gland, laceration of, *1984*: Nov., 770–771
Paroxysmal supraventricular tachycardia, cardioversion for, *1983*: Dec., 537
Patella, dislocation of, in wilderness environment, diagnosis of, *1984*: Aug., 641
    reduction of, *1984*: Aug., 645–646
  disorders of, management of, *1984*: May, 358
PCP intoxication, *1984*: Feb., 89–90
PEEP, *1983*: Aug., 256–257
  immediately after resuscitation, *1983*: Dec., 672–673
  in ARDS, *1983*: Aug., 336–337
Pelvis, abdomen and, examination of, in child, *1984*: Nov., 907–908
  examination of, *1984*: Nov., 875
  fractures of, *1984*: May, 331–332; Nov., 864, 866
    hemorrhage caused by, *1984*: May, 243
    long-term complications of, *1984*: May, 345
    open, *1984*: May, 345
    radiography of, *1984*: May, 266–267, 268
  hip and, injuries of, *1984*: May, **331–346**
  trauma to, in child, *1984*: Nov., 911
    radiography of, *1984*: May, 340–341
  vascular injury in, *1984*: Nov., 864–866
Pencils, ingestion of, *1984*: Feb., 164
Penis, scrotum and, trauma to, *1984*: Nov., 840
Pennyroyal oil overdose, *1984*: Feb., 135, 140
Pentobarbital, for Reye's syndrome, *1983*: April, 97
Percutaneous arterial cannulation, for post-resuscitative monitoring, *1983*: Dec., 673–674
Percutaneous jet ventilation, *1983*: Aug., 247–248
Pericardiocentesis, in child, *1983*: April, 56–57
Pericarditis, in child, *1983*: April, 54–56, 58
Perilymph fistula, *1984*: Aug., 518, 520
Perinatal asphyxia, course of, *1983*: Dec., 601–602
Perineum, examination of, in multiple trauma, *1984*: Nov., 743
Peripheral nerves, injury to, initial management of, *1984*: May, 232–235
Peripheral vessels, injury to, initial management of, *1984*: May, 230–232

Peritoneal dialysis, in poisoning, *1984*: Feb., 33–34
Peritoneal lavage, *1984*: Nov., 812–816
in child, *1984*: Nov., 909–910
in pregnant patient, *1984*: Nov., 847
Permeability, *1983*: Aug., 315–316
Pesticides, signal word labeling of, *1984*: Feb., 161
toxicity of, *1984*: Feb., 168
Petit mal status epilepticus, in child, *1983*: April, 130–131
Petroleum distillate hydrocarbon, ingestion of, *1984*: Feb., 169–171
in child, *1983*: April, 195
Phalen test, *1984*: May, 299
Phencyclidine intoxication, *1984*: Feb., 89–90
Phenothiazine, association of with Reye's syndrome, *1983*: April, 89
overdose with, *1984*: Feb., 64, 71–73
Phentolamine, for cardiogenic pulmonary edema, *1983*: Aug., 333
Phenylpropanolamine overdose, *1984*: Feb., 95
Philodendron, toxic exposure to, *1984*: Feb., 135
Phlebotomy, for cardiogenic pulmonary edema, *1983*: Aug., 329
Phosgene, inhalation of, *1984*: Aug., 655
Physiologic dead space, equation for, *1983*: Aug., 236
Physostigmine, *1984*: Feb., 70, 148–150
Placidyl overdose, *1984*: Feb., 68
Plague, *1984*: Aug., 606, 629
Plants, exposure to, evaluation of, *1984*: Feb., **133–144**
nontoxic, *1984*: Feb., 171, 172–173
toxic, ingestion of, *1984*: Aug., **553–562**
in child, *1983*: April, 196
Pleura, anatomy of, *1983*: Aug., 431
Pleural pressure gradient, *1983*: Aug., 225
Pleural space, abnormalities of, *1983*: Aug., **431–448**
Pleurisy root intoxication, *1984*: Feb., 141
Pneumoarthrosis, lipohemarthrosis and, radiography of, *1984*: May, 250, 251
Pneumogram, in study of infantile apnea, *1983*: April, 37–38
Pneumonia, criteria for hospital admission in, *1983*: Aug., 360
Hemophilus influenzae, *1983*: Aug., 352–353
Klebsiella pneumonia, *1983*: Aug., 351–352
Legionella pneumophila, *1983*: Aug., 356–357
Mycoplasma pneumoniae, *1983*: Aug., 353–355
Pneumocystis carinii, *1983*: Aug., 358–360
Staphylococcus aureus, *1983*: Aug., 347–349
Streptococcus pneumoniae, *1983*: Aug., 346–347
Streptococcus pyogenes, *1983*: Aug., 349–351
unusual pathogens causing, *1984*: Aug., 630–631
viral, *1983*: Aug., 355–356
Pneumothorax, catamenial, *1983*: Aug., 433
chest x-ray in, *1983*: Aug., 435
drug abuse causing, *1983*: Aug., 439–440
hemothorax with, *1983*: Aug., 441
iatrogenic, *1983*: Aug., 438–439
in traumatized patient, *1984*: May, 207
signs and symptoms of, *1983*: Aug., 434–435
size of, estimation of, *1983*: Aug., 435–436
spontaneous, idiopathic, *1983*: Aug., 432–433
in carcinoma, *1983*: Aug., 434
in chronic pulmonary disease, *1983*: Aug., 434
treatment of, *1983*: Aug., 436–437
tension, *1983*: Aug., 438; Dec., 575
in child, *1984*: Nov., 902
prehospital care of, *1984*: Nov., 723
PNU poisoning, nicotinamide for, *1984*: Feb., 153–154
Po_2, ideal, formula for, *1983*: Aug., 398
Poinsettia, ingestion of, *1984*: Feb., 135
Poiseuille's law, *1983*: Aug., 263
Poison Control Centers, in United States, current status of, *1984*: Feb., **185–197**
Poison dogwood, exposure to, *1984*: Feb., 134
Poison ivy, exposure to, *1984*: Feb., 134
Poison oak, exposure to, *1984*: Feb., 134
Poison sumac, exposure to, *1984*: Feb., 134
Poisoning. See also name of specific agent.
from toxic plants, *1984*: Aug., **553–562**
in child, *1983*: April, **187–200**
inhalational, *1984*: Aug., **649–666**
specific antidotes for, *1984*: Feb., 10–11
symposium on, *1984*: Feb., **1–202**
victim of, role of emergency physician in treatment of, *1984*: Feb., **3–13**
Pokeberries, ingestion of, *1984*: Feb., 143
Polysomnography, in study of infantile apnea, *1983*: April, 37
Pontiac fever, *1983*: Aug., 356
Portuguese man-of-war, envenomation by, *1984*: Aug., 535
Positive end-expiratory pressure. See *PEEP*.
Positive-pressure ventilation, *1983*: Aug., 254–255
Posterior cruciate ligament, anatomy of, *1984*: May, 350
Posterior drawer test, *1984*: May, 354

Posterior fossa hematoma syndrome, *1983*: Dec., 588
Potassium, abnormalities of, in hyperthermia, *1984*: Aug., 468
  restoration of, in pediatric diarrheal dehydration, *1983*: April, 116
Pralidoxime, for organophosphate poisoning, *1983*: Dec., 655
Pregnancy, last trimester, trauma or illness during, *1983*: Dec., 606–607
  trauma during, management of, *1984*: Nov., **843–851**
Prehospital care, of burns, *1983*: Dec., 595–596
  of dysbaric diving casualties, *1983*: Dec., 668–669
  of head and spinal cord injuries, *1983*: Dec., 584
  of hypothermia, *1983*: Dec., 624–626
  of multiple trauma, *1983*: Dec., 571–572; *1984*: Nov., **717–732**
  of musculoskeletal injuries, *1984*: May, **205–217**
  of open fractures, *1984*: May, 211
  of poisoned patient, *1984*: Feb., 5–6
  of spinal cord injury, *1984*: May, 314, 316
  of spinal injury, *1984*: May, 209–210
  of submersion injury, *1983*: Dec., 647–648
Preload, cardiac, *1983*: Aug., 317–318
Prescription drugs, common, alcohol content of, *1984*: Feb., 60
Pressure-cycled ventilator, *1983*: Aug., 250
Procaine intoxication, *1984*: Feb., 96
Prolonged infantile apnea, *1983*: April, 34–36
Prolonged sleep apnea, in infant, *1983*: April, 36–38
Propranolol, for arrhythmia, *1983*: Dec., 557
Prostaglandin therapy, after ischemia, *1983*: Dec., 494
Protozoans, febrile disease caused by, *1984*: Aug., 605
Prussian blue, antidotal use of, *1984*: Feb., 151
Pseudocyst, pulmonary, traumatic, *1983*: Aug., 380–381
Pseudoephedrine overdose, *1984*: Feb., 95
Pseudoseizures, in child, *1983*: April, 139
Psychoactive medication, overdose with, *1984*: Feb., **63–76**
Public relations, in radiation accident, *1984*: Aug., 684
Pulmonary angiography, *1983*: Aug., 405–406
Pulmonary disease, chronic, pneumothorax with, *1983*: Aug., 434
Pulmonary edema, *1983*: Aug., 323–327
  acute cardiogenic, causes of, *1983*: Aug., 317
  high altitude, *1984*: Aug., 505–507
Pulmonary embolectomy, *1983*: Aug., 411
Pulmonary embolism, *1983*: Aug., **393–415**
  thrombolytic therapy for, *1983*: Dec., 689–691
Pulmonary function testing, in acute bronchial asthma, *1983*: Aug., 280–281
Pulmonary infiltrates with eosinophilia, *1984*: Aug., 613
Pulmonary overpressurization syndrome, *1983*: Dec., 662–663
Pulmonary parenchyma, injury to, *1983*: Aug., **379–392**
Pulmonary sequestration, *1983*: Aug., 429
Pulmonary vessels, trauma to, *1983*: Aug., 423–424
Puncture wounds, *1984*: May, 387–388
Pupil, function of, assessment of, *1984*: Nov., 754–755
Pyloric stenosis, *1983*: April, 121–122
Pyramidal fracture, *1983*: Aug., 296
Pyridoxine, as poisoning antidote, *1984*: Feb., 155–156

Q fever, *1984*: Aug., 609, 627
Quaalude overdose, *1984*: Feb., 68

Radiation, late effects of, *1984*: Aug., 676–677
  measurement of, *1984*: Aug., 670–671
  physics of, *1984*: Aug., 669–670
Radiation accidents, protocol for, *1984*: Aug., 681–685
  victims of, ideal treatment facility for, *1984*: Aug., 682
    management of, *1984*: Aug., **667–686**
Radiation Emergency Assistance Center/Training Site (REAC/TS), phone number of, *1984*: Aug., 673
Radiography, comparison views in, controversy over need for, *1984*: May, 245, 247
  in musculoskeletal trauma, *1984*: Nov., 878
  in pulmonary edema, *1983*: Aug., 326–327
  in renal trauma, *1984*: Nov., 834–835
  in thoracic trauma, *1984*: Nov., 784
  in abdomen, *1984*: Nov., 816–817
  of atelectasis, *1983*: Aug., 374–375
  of chest, in diaphragmatic rupture, *1983*: Aug., 463–464
    in pneumothorax, *1983*: Aug., 435
    in pulmonary embolism, *1983*: Aug., 399, 401, 402
    in submersion injury, *1983*: Dec., 648–649

of maxillofacial trauma, definitive, *1984*: Nov., 771–772
initial, *1984*: Nov., 766
of orbital fracture, *1984*: Nov., 774
of skeletal trauma, *1984*: May, **245–277**
of skull, in trauma, *1983*: April, 145–146; Dec., 587
of spinal injury, *1983*: Dec., 586
of trauma, in children, *1984*: Nov., 906–907
of zygomatic fracture, *1984*: Nov., 773
Radionuclide lung scanning, *1983*: Aug., 403–405
Radioulnar joints, trauma to, radiography of, *1984*: May, 255–258
"Rapture of the deep," *1983*: Dec., 664
Rash, febrile illness and, diagnostic considerations in, *1984*: Aug., 594–595
Rat bite fever, *1984*: Aug., 607
Rattlesnake, *1984*: Aug., 565–566. See also *Viper*.
bite by, signs and symptoms of, *1984*: Aug., 572
Rectum, examination of, in multiple trauma, *1983*: Dec., 580; *1984*: Nov., 743
prehospital, *1984*: Nov., 730
in pelvic fracture, *1984*: May, 339
Regional poison control center, American Association of Poison Control Centers criteria for designation as, *1984*: Feb., 191–196
Relapsing fever, *1984*: Aug., 607, 632
diseases presenting with, *1984*: Aug., 597
in U.S., *1984*: Aug., 630
louse-borne, *1984*: Aug., 604, 608
Reperfusion, calcium ion reflux during, *1983*: Dec., 481, 485
lysis of membrane phospholipids caused by, *1983*: Dec., 488
mitochondrial uncoupling caused by, *1983*: Dec., 485
myofibrillar contraction caused by, *1983*: Dec., 485–486
production of cytotoxic compounds resulting from, *1983*: Dec., 489
formation of free radicals during, *1983*: Dec., 494
Replantation, *1984*: Nov., 874
Reptiles, venomous, bites of, *1984*: Aug., **563–578**
Respiration, abbreviations of terms in, *1983*: Aug., 224
control of by central nervous system, *1983*: Aug., 229–230
mechanical. See *Mechanical ventilation*.
mechanics of, *1983*: Aug., 224–225, 449
physiology of, *1983*: Aug., **223–239**
Respiratory failure, classification of, *1983*: Aug., 236–237
thoracic cage disorders causing, *1983*: Aug., 450
Respiratory muscles, weakness of, *1983*: Aug., 457–459
Respiratory rate, in child, *1983*: April, 6
Respiratory tract, adult, emergencies of, symposium on, *1983*: Aug., **221–471**
exposure of to toxins, treatment for, *1984*: Feb., 7–8
Resuscitation, acute, of patient with head and spinal cord injuries, *1983*: Dec., **583–594**
in pulmonary parenchymal injury, *1983*: Aug., 388–389
after exposure to hazardous chemicals, *1983*: Dec., **653–657**
cardiopulmonary. See *CPR*.
fluids for, *1983*: Dec., 578–579
selection of, *1984*: Nov., 746–747
in multiple injury, *1983*: Dec., **571–582**
initial, *1984*: Nov., **733–748**
of child, *1983*: April, 178–180
injuries caused by, patterns in, *1983*: Dec., 701–702
of neonate, *1983*: Dec., **601–608**
of victims of submersion casualties, *1983*: Dec., **643–652**
organization of personnel for, *1983*: Dec., 476
out-of-hospital, *1983*: Dec., 475–476. See also *Prehospital care*.
physiology of, *1983*: Dec., **479–499**
success rate of, *1983*: Dec., 479–480
symposium on, *1983*: Dec., **473–715**
use of drugs in, *1983*: Dec., **553–569**
Retina, hemorrhage of, high altitude, *1984*: Aug., 508–509
injury to, *1984*: Nov., 894
Rewarming therapy, for hypothermia, *1983*: Dec., 626–628
Reye's syndrome, *1983*: April, **87–100**
association of aspirin or phenothiazine ingestion with, *1983*: April, 89, 91
laboratory tests for, *1983*: April, 93
staging of, *1983*: April, 92
Rhabdomyolysis, in hyperthermia, *1984*: Aug., 468
Rheumatism, psychogenic, *1984*: May, 429
Rhododendron, poisoning by, *1984*: Aug., 558–559
Rib(s), fracture of, *1983*: Aug., 451–453, 454; *1984*: Nov., 788
Rickettsial diseases, *1984*: Aug., 608–609
in U.S., *1984*: Aug., 625–627
Rocky Mountain spotted fever, *1984*: Aug., 609, 625–626
Rolando fracture, radiography of, *1984*: May, 270
Rosary pea, ingestion of, *1984*: Feb., 135, 136
Rotator cuff tear, *1984*: May, 293
Round atelectasis, *1983*: Aug., 372

Saccharin, ingestion of, *1984*: Feb., 167–168
Sacrum, injury to, *1984*: May, 326
Saegesser's sign, *1984*: Nov., 729
"Safety campaigns," efficacy of, *1984*: Nov., 702
St. Louis encephalitis, *1984*: Aug., 627
Salicylate, overdose of, in alcoholic patient, *1984*: Feb., 56
in child, *1983*: April, 197–198
Salter-Harris fracture classification, *1984*: May, 412, 413
Scald burns, prevention of, *1984*: Nov., 708–709
Scalp, face and, bleeding from, treatment of, *1984*: Nov., 740–741
injury to, in pediatric head trauma, *1983*: April, 156–157
Scapula, fracture of, *1984*: May, 291–292
Scarring, of facial wounds, *1984*: Nov., 769
Sciatica, pain pattern in, *1984*: May, 443–444
Scorpion, bite of, *1984*: Aug., 582–583
Scorpion fish, envenomation by, *1984*: Aug., 541–542
Scrotum, penis and, trauma to, *1984*: Nov., 840
Sea anemone, envenomation by, *1984*: Aug., 535–536
Sea cucumber, envenomation by, *1984*: Aug., 539
Sea snake, envenomation by, *1984*: Aug., 542–543
Sea urchin, envenomation by, *1984*: Aug., 538–539
Sea wasp, envenomation by, *1984*: Aug., 535
Sedative hypnotics, overdose with, *1984*: Feb., 68–69
Seizures, classification of, *1983*: April, 126
in child, *1983*: April, **125–140**
after head trauma, *1983*: April, 155–156
Senecio intoxication, *1984*: Feb., 142
Septic arthritis, drug therapy for, *1984*: May, 428
Sequestration crisis, in child with sickle cell disease, *1983*: April, 75–76
Serum colloid osmotic pressure, *1983*: Aug., 314–315
Sesamoid, of foot, injuries to, *1984*: May, 385
Sexual abuse, of child, *1983*: April, 212–214
Shallow water blackout, *1983*: Dec., 644
Shampoo, ingestion of, *1984*: Feb., 166
Shark, injury by, *1984*: Aug., 531–533
Shock, assessment of, *1984*: Nov., 736–739
in child with bacteremia, *1983*: April, 107, 110
in hyperthermia, *1984*: Aug, 466–467
Short arm splint, *1984*: May, 398
Shotgun wound, patterns of injury in, *1983*: Dec., 697
Shoulder, anatomy of, *1984*: May, 280
arm and, injuries of, *1984*: May, **279–294**
dislocation of, in wilderness environment, diagnosis of, *1984*: Aug., 640
reduction of, *1984*: Nov., 879
in wilderness environment, *1984*: Aug., 642–643
neck and, examination of, *1984*: Nov., 872, 874
separation of, *1984*: May, 288
trauma to, radiography of, *1984*: May, 259–262, 283–286
vascular injury in, *1984*: Nov., 861–862
Shunt, intrapulmonary, equation for, *1983*: Aug., 235–236
right to left, *1983*: Aug., 232–233
Sickle cell disease, in child, acute complications of, *1983*: April, 73–77
SIDS, *1983*: April, 27–34; Dec., 610
role of emergency physician in, *1983*: April, 34
Silicon tetrachloride, inhalation of, *1984*: Aug., 654
Sinus squeeze, *1984*: Aug., 520
Skeleton, trauma to, radiography of, *1984*: May, **245–277**
Skin, circulation to, *1984*: Aug., 483–484
exposure of to toxins, treatment for, *1984*: Feb., 6–7
Skull. See also *Head*.
fracture of, in child, *1983*: April, 157–163
radiography of, in trauma, *1983*: April, 145–146, Dec., 587
Skunk cabbage, poisoning by, *1984*: Aug., 558
Sleep apnea syndrome, *1983*: Aug., 273
airway obstruction and, possible cause of SIDS, *1983*: April, 31–33
prolonged, in infant, *1983*: April, 36–38
Sleeping sickness, *1984*: Aug., 605
Sling and swathe, *1984*: May, 396
Slit lamp biomicroscopy, *1984*: Nov., 887
Smoking, cigarette, maternal, relation to SIDS, *1983*: April, 30
Snakebite, medical treatment of, *1984*: Aug., 575–577
Snakebite kits, commercial, drawbacks of, *1984*: Aug., 574–575
"Sniffing" position, *1983*: Aug., 241–242
Soap, induction of emesis by, *1984*: Feb., 17
ingestion of, *1984*: Feb., 165
Sodium bicarbonate, for acidosis complicating cardiogenic pulmonary edema, *1983*: Aug., 335
for severe acidosis, formula for dosage, *1983*: April, 116
in pediatric resuscitation, *1983*: April, 11–12
Sodium chloride, induction of emesis by, *1984*: Feb., 16–17

Sodium hypochlorite, ingestion of, *1984*: Feb., 78, 165–166
Sodium nitroprusside, for cardiogenic pulmonary edema, *1983*: Aug., 333–334
Spasmus nutans, in child, *1983*: April, 138
Spinal cord, injury to, causes of, *1984*: May, 314
head injury and, resuscitation of patient with, *1983*: Dec., **583–594**
prehospital treatment of, *1984*: May, 314, 316
transfer of patient with, *1984*: May, 327–328
Spine, cervical, prehospital examination of, *1984*: Nov., 728
examination of, *1984*: Nov., 875
injuries to, *1984*: May, **313–329**
determining level of deficit in, *1983*: Dec., 585
in child, *1984*: May, 415–416
in wilderness environment, *1984*: Aug., 646
prehospital management of, *1984*: May, 209–210
radiography of, *1984*: May, 318–319
Spirochetes, unusual infections by, fever caused by, *1984*: Aug., 606–607
Splint, removal of, contraindications to, *1984*: May, 392
Splinting, of musculocutaneous injuries, principles and techniques of, *1984*: May, **391–407**
Sponges, live, injuries caused by, *1984*: Aug., 534
Sprain, definition of, *1984*: May, 364
initial management of, *1984*: May, 235
of ankle, *1984*: May, 367
of knee, *1984*: May, 356, 358
Spurge intoxication, *1984*: Feb., 141
Stab wound, of abdomen, management of, *1984*: Nov., 807–808
patterns of injury in, *1983*: Dec., 697
Starling forces, *1983*: Aug., 314–316
Starling's equation, *1983*: Aug., 313–314
Status epilepticus, in child, absence, *1983*: April, 130–131
drugs for, *1983*: April, 128–130
focal, *1983*: April, 131
partial complex, *1983*: April, 131
temporal lobe, *1983*: April, 131
tonic-clonic, management of, *1983*: April, 126–131
management of, *1984*: Aug., 471
Stenson's duct, laceration of, *1984*: Nov., 771
Sternoclavaicular joint, injury to, *1984*: May, 287–288
Sternum, fracture of, *1983*: Aug., 456–457, *1984*: Nov., 788
Steroids, for intracranial hypertension, *1983*: April, 155
use of in caustic ingestion, controversy over, *1984*: Feb., 83–84
Stringray, envenomation by, *1984*: Aug., 539–540
Stonefish, envenomation by, *1984*: Aug., 541–542
Streptokinase, for pulmonary embolism, *1983*: Aug., 410
in acute myocardial infarction, *1983*: Dec., 687–689
Stress fractures, *1984*: May, 386–387
initial management of, *1984*: May, 219–220
Stroke, in child with sickle cell disease, *1983*: April, 74–75
Strongyloides spp., infection with, *1984*: Aug., 613–614
Subclavian artery, anatomy of, *1983*: Aug., 420
Subclavian veins, trauma to, *1983*: Aug., 424–425
Subdural hematoma, acute, distinction from acute epidural hematoma, *1983*: April, 167–171
Subdural tap, after trauma, in child, *1983*: April, 147–148
Submersion injury, *1984*: Aug., **545–552**
resuscitation after, *1983*: Dec., **643–652**
Succinylcholine, in endotracheal intubation, *1983*: Aug., 245–247
"Sucking chest wound," *1984*: Nov., 786
Sudden infant death syndrome. See *SIDS*.
Sugar tong splint, *1984*: May, 396, 398
Suicide, in adolescents, relation of to drug overdose, *1984*: Feb., 177–178
in children and adolescents, *1983*: April, **201–206**
Suntan oil, ingestion of, *1984*: Feb., 166
Superior vena cava syndrome, in child, *1983*: April, 82–83
Supraventricular tachycardia, in child, *1983*: April, 50–54
SVC-CPR, *1983*: Dec., 502
Swan-Ganz catheterization, *1983*: Dec., 681–686
Swollen joint, evaluation of in emergency department, *1984*: May, **425–440**
Sympathomimetic agents, overdose with, *1984*: Feb., 95–96
Syncope, in child, *1983*: April, 135
infantile, *1983*: April, 135–136
Synovial fluid, analysis of, *1984*: May, 433

Tachycardia, paroxysmal supraventricular, cardioversion for, *1983*: Dec., 537
supraventricular, in child, *1983*: April, 50–54
ventricular, cardioversion for, *1983*: Dec., 536

Talcum powder, inhalation of, *1984*: Feb., 164–165
Talus, anatomy of, *1984*: May, 374–375
fractures of, *1984*: May, 376–377
Tarantula, bite of, *1984*: Aug., 582
Tarsometatarsal joints, anatomy of, *1984*: May, 381–382
injuries to, *1984*: May, 382–384
"Teardrop bladder," *1984*: Nov., 830–831
Teardrop fracture, radiography of, *1984*: May, 269
Teeth, as cause of airway obstruction, *1983*: Aug., 298
Temperature, core, elevated, body's response to, *1984*: Aug., 460
Tendinitis, *1984*: May, 427, 429
of ankle, *1984*: May, 363
Tendons, of arm, ruptures of, *1984*: May, 293–294
of hand and wrist, injury to, *1984*: May, 306–308
Tenosynovitis, flexor, purulent, *1984*: May, 306
Tension pneumothorax, *1983*: Aug., 438; Dec., 575
in child, *1984*: Nov., 902
prehospital care of, *1984*: Nov., 723
Terbutaline, in acute bronchial asthma, *1983*: Aug., 284
Terbutaline surface, in acute bronchial asthma, *1983*: Aug., 285
Tetanus prophylaxis, in multiple trauma, *1984*: Nov., 730
Tetracaine intoxication, *1984*: Feb., 96
Tetracyclic antidepressants, overdose with, *1984*: Feb., 69
Theophylline, in acute bronchial asthma, *1983*: Aug., 286
in pediatric resuscitation, *1983*: April, 22–23
Thermoregulation, *1984*: Aug., 476
Thioctic acid, as amatoxin antidote, *1984*: Feb., 154–155
Thioridazine overdose, *1984*: Feb., 71
Thoracentesis, pneumothorax caused by, *1983*: Aug., 439
Thoracic cage, disorders of, respiratory failure caused by, *1983*: Aug., 450
Thoracostomy, tube, *1983*: Aug., 442–444; *1984*: Nov., 745, 785–786, 793
Thoracotomy, in emergency department, *1984*: Nov., 793, 794, 805
in pneumothorax, indications for, *1983*: Aug., 437
traumatic, *1984*: Nov., 786
Thrombocytopenia, in child, *1983*: April, 66
Thromboembolism, at high altitudes, *1984*: Aug., 509
Thrombolytic therapy, for pulmonary embolism, *1983*: Aug., 410–411
Thrombosis, deep venous, tests for, *1983*: Aug., 401, 403
Thumb, carpometacarpal joint of, radiography of, *1984*: May, 303
Thumb spica splint, *1984*: May, 403
Tibia, fracture of, prehospital management of, *1984*: May, 215–216
Ticks, disease caused by, prevention of, *1984*: Aug., 624
Tick paralysis, *1984*: Aug., 583–584
Tidal volume, *1983*: Aug., 226
in mechanical ventilation, *1983*: Aug., 253
Time, from injury to surgery, reduction of, *1984*: Nov., 919–920
to definitive treatment, relationship of to mortality rate, *1984*: Nov, 801
Time-controlled ventilator, *1983*: Aug., 250–251
Tinel test, *1984*: May, 298–299
Tissue colloid osmotic pressure, *1983*: Aug., 315
Tobacco plant, ingestion of, intoxication caused by, *1984*: Feb., 137
Toes, buddy taping of, *1984*: May, 407
dislocation of, *1984*: May, 386
fracture of, *1984*: May, 386
Toluene, inhalation of, intoxication due to, *1984*: Feb., 97, 169
Tomogram, of injured spine, *1983*: Dec., 586
Tonsillitis, *1983*: Aug., 268–269
"Tooth" fracture, radiography of, *1984*: May, 271, 273
Toothpaste, ingestion of, *1984*: Feb., 166
Torus fracture, in child, radiography of, *1984*: May, 274
Total lung capacity, *1983*: Aug., 226
Tourniquet, prehospital use of, *1984*: Nov., 726
rotating, for cardiogenic pulmonary edema, *1983*: Aug., 329
Toxic exposure. See *Poisoning*; see also specific substance.
Toxic inhalation, *1984*: Aug., **649–666**
treatment of, *1984*: Feb., 7–8
Toxicodendron spp., dermatitis caused by, *1984*: Feb., 134
Toxicology, medical, symposium on, *1984*: Feb., **1–202**
of drug abuse, *1984*: Feb., **87–101**
Toxins, removal of, methods for, *1984*: Feb., 31
therapy to enhance, indications for, *1984*: Feb., 29–31
serum concentration of, formula for, *1984*: Feb., 51
Trachea, intubation of, *1983*: Aug., 241–243
trauma to, *1983*: Aug., 301–305
Tracheostomy, *1984*: Nov., 762
emergency, *1984*: Nov., 735
versus endotracheal intubation, for laryngeal trauma, *1983*: Aug., 301
Tracheotomy, emergency, replacement of by cricothyroidotomy, *1983*: Aug., 248

Traction, in spinal fracture, *1983*: Dec., 589
Transportation, of burned patient, *1983*: Dec., 595–596
Trauma. See also *Injury*.
as cause of death, age as a factor in, *1984*: Nov., 705–706
major categories of, *1984*: Nov., 703, 704
bronchial, *1983*: Aug., 306–308
penetrating, *1983*: Aug., 308–309
chest, ARDS complicating, *1983*: Aug., 387
epidemiology of, *1984*: Nov., 913–915
head, in child, *1983*: April, **141–174**
in wilderness environment, *1984*: Aug., **635–647**
laryngeal, *1983*: Aug., 270, 298–301
mandibular, *1983*: Aug., 297
maxillary, *1983*: Aug., 296–297
multiple, epidemiology and prevention of, *1984*: Nov., **701–715**
evaluation of musculoskeletal injury in, *1984*: May, 239–240, 242; Nov., 743–744; **871–882**
in child, *1983*: April, **175–185**
prehospital care of, *1983*: Dec., 571–572; *1984*: Nov., **717–732**
resuscitation in, *1983*: Dec., **571–582**
symposium on, *1984*: Nov., **699–943**
pediatric, *1983*: Dec., 610–611; *1984*: Nov., **899–912**
primary assessment of, by EMT, *1984*: May, 206–208
to pulmonary vessels, *1983*: Aug., 423–424
tracheal, *1983*: Aug., 301–305
vena caval, *1983*: Aug., 422–423
Trauma care, prehospital, *1984*: Nov., **717–732**
studies of, *1984*: Nov., 915–916
Trauma care systems, *1984*: Nov., **913–922**
Trauma center, admission to, indications for, *1983*: April, 176–177
Trephination, for uncal herniation, *1983*: Dec., 588–589
Triage, in mass casualty, *1984*: Aug., 689–691
of patients with acute iron poisoning, *1984*: Feb., 128–129
of patients with head injury, *1984*: Nov., 755–758
of patients with lightning injury, *1983*: Dec., 640
Tricyclic antidepressants, overdose with, *1984*: Feb., 64, 69–71
Trypanosomiasis, *1984*: Aug., 604
African, *1984*: Aug., 605
American, *1984*: Aug., 605
Tube thoracostomy, *1983*: Aug., 442–444; *1984*: Nov., 745, 785–786, 793
Tuberculosis, *1984*: Aug., 610, 612
Tularemia, *1984*: Aug., 606, 628–629
Two point discrimination test, *1984*: May, 282, 303
Typhoid fever, *1984*: Aug., 603–604
Typhus, *1984*: Aug., 608, 609
in U.S., *1984*: Aug., 626–627

Uncal herniation syndrome, *1983*: Dec., 588
Upper extremity, examination of, in trauma, *1984*: Nov., 874
fracture of, in wilderness environment, *1984*: Aug., 636–637
injuries of, *1984*: May, **279–294**
field management of, *1984*: May, 211–212
of nerves, *1984*: Nov., 862–863
of vasculature, *1984*: Nov., 862–863
Urea cycle, *1983*: April, 88
Ureter, trauma to, *1984*: Nov., 839–840
Urethra, trauma to, *1984*: Nov., 825–829
Urinary tract, injury to, in child, *1983*: April, 184
with pelvic fracture, *1984*: May, 344–345
Urine, output of, normal, in child, *1984*: Nov., 900
pH of, manipulation of in poisoning, *1984*: Feb., 32–33
Urography, *1984*: Nov., 834–835
Urokinase, for pulmonary embolism, *1983*: Aug., 410
Urokinase Pulmonary Embolism Trial—Phase I, *1983*: Dec., 689–690
Urokinase-Streptokinase Pulmonary Embolism Trial—Phase II, *1983*: Dec., 690

Vagina, examination of, in multiple trauma, *1984*: Nov., 743
in pelvic fracture, *1984*: May, 339
Vasculature. See also particular vessel.
peripheral, injury to, *1984*: Nov., **853–870**
thoracic, pathology of, *1983*: Aug., **417–430**
Velpeau bandage, *1984*: May, 396
Vena cava, anatomy of, *1983*: Aug., 419
interruption of, for pulmonary embolism, *1983*: Aug., 411
superior, tumor obstructing, *1983*: Aug., 422
trauma to, *1983*: Aug., 422–423
Venezuelan equine encephalitis, *1984*: Aug., 627
Venom, reptile, *1984*: Aug., 566–567
Venous access, in child, *1984*: Nov., 903–905
Venous thrombosis, deep, tests for, *1983*: Aug., 401, 403

Ventilation. See also *Respiration*.
mechanical. See *Mechanical ventilation*.
in child, bag-and-mask, *1983*: April, 4
expired air, *1983*: April, 4
mouth-to-mouth, *1983*: April, 4
Ventilation-perfusion mismatching, *1983*: Aug., 234
Ventilation rates, in child, *1983*: April, 178
Ventricular fibrillation, *1983*: Dec., 515–517
events triggering, *1984*: Aug., 480
Ventricular flutter, cardioversion for, *1983*: Dec., 537
Ventricular tachycardia, cardioversion for, *1983*: Dec., 536
Verapamil, for arrhythmia, *1983*: Dec., 559–561
for supraventricular tachycardia in child, *1983*: April, 53
Vertebra, fracture of, radiography of, *1984*: May, 267
injury to, *1984*: May, 320, 322, 324–325
Vertigo, in child, *1983*: April, 138
Viper, bite by, *1984*: Aug., 568–569
treatment of, *1984*: Aug., 573–575
species native to U.S., *1984*: Aug., 565–566
Visual acuity, testing of, *1984*: Nov., 884
Vitamins overdose, *1984*: Feb., 167
Volar finger splint, *1984*: May, 403
Volatile hydrocarbons, inhalation of, *1984*: Aug., 657–658
Volatile oil intoxication, *1984*: Feb., 141
Volkmann ischemia, *1984*: May, 419–422
Volume of distribution (Vd), of toxin, formula for, *1984*: Feb., 39
Volume-cycled ventilator, *1983*: Aug., 251
Vomiting, aspiration during, prevention of, *1983*: Aug., 242

Warfarin, toxicity of, *1984*: Feb., 168
Water, contamination of by *Giardia lamblia*, *1984*: Aug., 631
in U.S., *1984*: Aug., 624–625
oral administration of, in poisoning, *1984*: Feb., 15–16
Water hemlock, poisoning by, *1984*: Aug., 556
Westermark's sign, *1983*: Aug., 399, 402
Western equine encephalitis, *1984*: Aug., 627–628
"Windshield" lacerations, of face, *1984*: Nov., 770
Witch hazel, ingestion of, *1984*: Feb., 143
Wound. See also particular type.
abdominal, exploration of, *1984*: Nov., 811–812
facial, closure of, *1984*: Nov., 768
postoperative hygiene of, *1984*: Nov., 769
gunshot. See *Gunshot wound*.
initial management of, *1984*: May, 224
in radiologically contaminated patient, decontamination of, *1984*: Aug., 680
open, of chest, field management of, *1984*: Nov., 725
of extremities, *1984*: Nov., 880–881
puncture, *1984*: May, 387–388
stab, *1983*: Dec., 697; *1984*: Nov., 807–808
Wrist, dislocation of, diagnosis of, in wilderness environment, *1984*: Aug., 641
hand and, dislocations of, *1984*: May, 308–309
examination of, *1984*: May, 297–303
fractures of, commonly missed, *1984*: May, 310–312
ligamentous injuries of, *1984*: May, 308
trauma to, radiography of, *1984*: May, 254–255

X-ray. See *Radiograph*.

Zebra fish, envenomation by, *1984*: Aug., 541–542
Zygoma, fracture of, *1984*: Nov., 772–773
radiography of, *1984*: May, 267